



**November 3** GCSAA (Golf Course Superintendents Association of America) education seminar: "Turfgrass Ecology." Seattle, Wash. Contact: GCSAA. Phone: (785) 841-2240 or (800) 472-7878. Web site: <http://www.gcsaa.org>.

**November 4** GCSAA seminar: "Turfgrass Stress Management." Syracuse, New York. Contact: see first entry, above.

**November 4** GCSAA seminar: "Preventive Maintenance of Turf Equipment." San Antonio, Texas. Contact: see first entry, above.

**November 4-5** GCSAA seminar: "Design, Construction and Renovation for IPM." St. Louis, Mo. Contact: see first entry, above.

**November 4-6** Penn State Golf Turf Conference. State College, Pa. Contact: Peter Landschoot, Dept. of Agronomy. Phone: (814) 863-1017.

**November 4-7** Turf and Grounds Exposition, OnCenter. Syracuse, N.Y. Contact: NYSTA. Phone: (800) 873-8873 or (518) 783-1229.

**November 5** Pesticide Applicators Professional Association's (PAPA's) Pesticide Applicators Seminar. Santa Maria, Calif. Contact: PAPA. Phone: (408) 442-3536.

**November 5-6** Heart of America Golf Course Superintendents Association's (HAGCSA) 2nd Annual Golf & Turf Conference. North Kansas City, Mo. Contact: Olivia Golden at HAGSCA. Phone: (816) 561-5323. Fax: (816) 561-1991. E-mail: [ogolden@westernassn.com](mailto:ogolden@westernassn.com).

**November 6** PAPA's Pesticide Applicators Seminar. Two locations: Chico and Victorville, Calif. Contact: PAPA. Phone: (408) 442-3536.

**November 6-7** GCSAA seminar: "Writing Successfully for Business and Publications." Somerset, N.J. Contact: see first entry, above.

**November 10** GCSAA seminar:

# Calendar of Events

"Employee Safety Training." Rhinelander, Wis. Contact: see first entry, above.

**November 11** GCSAA seminar: "Maximizing Turfgrass Disease Control." Lexington, Ky. Contact: see first entry, above.

**November 11** GCSAA seminar: "Wetlands and Golf Courses." Novi, Mich. Contact: see first entry, above.

**November 11** GCSAA seminar: "Options and Their Application in Pest Management." Industry, Calif. Contact: see first entry, above.



**Plug in to**

COMPREHENSIVE LINKS TO INDUSTRY WEBSITES

ASSOCIATION INFORMATION

LIVE MODERATED DISCUSSION FORUMS

REFERENCE MATERIALS

GREEN-NET "YELLOW PAGES"

EXCLUSIVE EDITORIAL

EDITORIAL ARCHIVES

**The Green Industry's Comprehensive Website**

**GREEN NET**

<http://www.aip.com>

Photo courtesy: Sharyn Luka

# Improving Turfgrass Health with a Low-Salt Diet

By Dr. Larry J. Stowell

In many areas, irrigation management becomes a challenge especially during the low rainfall, heavy irrigation months from April through October — when soil salts accumulate, turf requires more water to grow and there is peak demand for high quality turf that can tolerate stress from athletes, insects and diseases. For turf managers, three critical components in effective irrigation are water quality, evapotranspiration (ET) rate and soil electrical conductivity (EC).

This article focuses on the interaction among these factors and provides suggestions for utilizing EC and ET data to help you make better informed irrigation management decisions.

## Electrical Conductivity (EC)

Soil electrical conductivity (measured in decisiemens/meter or millimhos/cm) readings are related to the concentration of salts that are dissolved in a solution and can be an extremely valuable tool in irrigation management. A relatively simple method has been developed (see pg. 17) to help you monitor the EC and, therefore, the salt levels in your soils. But why, you may ask, is it so important to monitor salinity?

The answer lies in the constant struggle for water between two opposing forces — the turfgrass (which must obtain water via its roots to survive) and the soil. Both the *physical* nature of the soil (soil particles have a sponge-

like ability to suck water away from plant roots) and the *chemical* suction caused by dissolved salts in the soil/water solution act to suck water away from turfgrass roots. When there are high concentrations of solutes such as calcium, magnesium, sodium, potassium, chloride or sulfates in the soil, the plant will not be able to draw water from the soil into the roots, and the plant will wilt and die if the salts are not diluted.

In some cases, a high salinity situation can produce dying turfgrass, even when the soil appears wet. In these cases, even though it seems counter-intuitive, leaching to remove salts will drop the chemical suction and will aid the survival of the plants.

## Role of Water Quality and EC

The salts that cause turfgrass so many problems come primarily from

irrigation water and not from fertilizers, as many people believe. Although the United States has a wide range of irrigation-water qualities, electrical conductivity is likely a critical factor wherever you live. California serves as an example.

A casual survey of nine southern California golf courses showed that irrigation water usage averaged 3.2 acre-feet per year per acre. Combined with the fact that southern California irrigation water has an average EC of about 1.0 dS/m (equivalent to 640 ppm or 640 mg/l), it means that an area the size of a 5,000-square-foot golf course green will receive 600 pounds of salts during the year! Moreover, most of the salts will be delivered between April and October. During that time, about 85 pounds of salts per month will be delivered to a 5,000-square-foot area. Without effective irrigation management, salts will rapidly accumulate to

TABLE 1. Saturated Soil Extract

| TDS-4 | Extract EC | TDS-4 | Extract EC | TDS-4 | Extract EC |
|-------|------------|-------|------------|-------|------------|
| 0.1   | 1.1        | 1.1   | 3.8        | 2.1   | 6.5        |
| 0.2   | 1.3        | 1.2   | 4.0        | 2.2   | 6.7        |
| 0.3   | 1.6        | 1.3   | 4.3        | 2.3   | 7.0        |
| 0.4   | 1.9        | 1.4   | 4.6        | 2.4   | 7.3        |
| 0.5   | 2.2        | 1.5   | 4.9        | 2.5   | 7.6        |
| 0.6   | 2.4        | 1.6   | 5.1        | 2.6   | 7.8        |
| 0.7   | 2.7        | 1.7   | 5.4        | 2.7   | 8.1        |
| 0.8   | 3.0        | 1.8   | 5.7        | 2.8   | 8.4        |
| 0.9   | 3.2        | 1.9   | 5.9        | 2.9   | 8.6        |
| 1.0   | 3.5        | 2.0   | 6.2        | 3.0   | 8.9        |

Use this conversion table for determining the saturated soil extract EC (Extract EC) from the direct TDS-4 saturated soil reading. All values are in dS/m = mS/cm = mmhos/cm.

TABLE 2. Tolerance of Turfgrasses to Soil Salinity

| Sensitive<br><3 dS/m | Moderately Sensitive<br>3-6 dS/m | Moderately Tolerant<br>6-10 dS/m | Tolerant<br>> 10 dS/m |
|----------------------|----------------------------------|----------------------------------|-----------------------|
| Annual bluegrass     | Annual ryegrass                  | Bent. cv. Seaside                | Alkaligrass           |
| Colonial bentgrass   | Chewings fescue                  | Perennial ryegrass               | Bermudagrass          |
| Kentucky bluegrass   | Creeping bentgrass               | Tall fescue                      | Seashore paspalum     |
| Rough bluegrass      | Hard fescue                      | Buffalograss                     | St. Augustinegrass    |
| Centipedegrass       | Bahiagrass                       | Zoysiagrass                      |                       |

Relative tolerance of turfgrasses to soil salinity. (From Harivandi, M.A., Butler, J.D. and Wu, L. 1992. Salinity and turfgrass culture. Pages 207-229 in *Turfgrass* — Waddington, D.V., Carrow, R.N. and Shearman, R.C. eds. — Series No. 32. American Society of Agronomy, Madison, Wis.)

levels that are damaging to most turfgrass varieties.

Unlike southern California, irrigation water in northern California has a fairly low salt content, with ECs frequently below 0.5 dS/m. Even so, with salts at 0.5 dS/m, 43 pounds of salts will be delivered per month to a 5,000-square-foot area. Salinity will accumulate more slowly, but by August, about 172 pounds of salt will have been deposited to such an area. In any region of the state or in areas of the country with similar water qualities, irrigation to prevent accumulation of soil salts is a critical component of a turfgrass management system.

### Leaching to Lower ECs

A leaching event is an irrigation cycle or a period of rainfall that results in an application of more than one inch of water in a single eight-hour period. The water can be applied by standard irrigation systems, or to prevent runoff, low-volume irrigation heads may be used to match water application with infiltration.

Regardless of the irrigation method, leaching events are needed to prevent accumulation of salts to levels that will damage the turfgrass variety. (See Table 2 for the sensitivity of turfgrass varieties to soil salts.)

### ET — A Good Tool Badly Used

ET, or evapotranspiration (measured in inches of water), refers to the water lost by evaporation from the soil, plus the water lost from plants through transpiration. ETs are usually highest on warm, dry, sunny days when there is a good breeze. Water lost during the day or days between irrigations can be estimated by analysis of prevailing weather conditions.

In order to conserve water, tremendous emphasis has been placed upon evapotranspiration. Many new irrigation systems provide on-site weather stations and estimates of ET. Computer controls will apply the exact amount of water that was lost during the day on a daily basis.

But beware! In many cases, irrigation strategies based solely upon daily ET losses will result in accumulation of salts to levels that are damaging to

Figure 1 (below) based on a case study in San Diego, shows the theoretical accumulation of soil salts in the top three-inch layer of a soil irrigated nightly with a water containing 640 ppm dissolved salts (1.0 dS/m) when the initial soil EC was 1.0 dS/m. If no leaching events are included, the full season of irrigation accumulates sufficient salts to severely stress or kill many cool season varieties and some warm season varieties





Figure 2 (below) shows accumulated soil salts based upon San Diego CIMIS ET data (80 percent of reference ET). Note the leaching events based upon soil EC values. This strategy prevents accumulation of salts to levels that result in turf losses. Leaching is only needed if the accumulation of salts exceeds the tolerance of the turfgrass variety.



turfgrass. The reason is that this approach leaves no room for leaching when salts reach damaging levels. In addition, light and frequent irrigations often lead to anaerobic conditions, black layer and death of many of the deeper turfgrass roots. The overall result is declining turf, increased disease and insect susceptibility, resulting in increased pesticide use and both wet and dry areas where no turf is growing.

To illustrate some of the problems associated with sole reliance on ETs for irrigation management, let's look at a case study in San Diego. Based upon California Irrigation Management Information System

(CIMIS) reference evapotranspiration (ET<sub>o</sub>), almost 2 acre-feet of water per acre are needed between April and October to grow turfgrass in San Diego at 80 percent of the reference ET<sub>o</sub>. (Note that this value is about 30 percent below the average of 3.2 acre-feet for southern California, mentioned above, and probably reflects the milder San Diego environment.)

Based on these conservative ET values, if 1.0-dS/m irrigation water is applied nightly beginning on April 1 to a soil with an initial EC of 1.0 dS/m, the salts deposited into the top three inches will raise soil salinity to about 3 dS/m by the middle of June. That exceeds the tolerable level for such

species as *Poa annua* and Kentucky bluegrass. If the soil salts are not reduced with a leaching irrigation (at least one inch of water and frequently more), accumulation of salts would continue to rise and exceed 6 dS/m by the end of October.

As a rule of thumb, 6 inches of water need to be applied to drop the soil EC by 50 percent. Allowing accumulation of salts to higher levels will only make leaching events more difficult to conduct and will also result in very wet areas.

Leaching is only needed when the accumulation of salts is expected to exceed the tolerance of the turfgrass variety. For example, based upon the data presented in Table 2, bermudagrass would not require leaching in the scenario presented above for San Diego, where soil salts usually do not exceed 7.0 dS/m during a "normal" year. In a normal year in California and other parts of the country, fall and winter rains have the effect of re-set-

ting soil ECs to about 1.0 dS/m, so soils are in good shape going into the heavy irrigation period of April through October. Leaching strategies will therefore change for some areas after fall and winter rainfall.

The bottom line is that soil salts should be regularly monitored and irrigation should always be based upon plant needs, not computer models. Computer models should be used as guides for decision making, but it is you, not the computer, who should be making the irrigation management decisions.

In addition to ETs, ECs and water quality measurements, your decisions should be influenced by plant rooting depth, soil type, turfgrass variety and always field inspection. Areas that have lighter (sandier) soils will require more frequent irrigation than heavier soils. Deeper-rooting varieties will be able to mine water from the lower soil profiles to tap soil reserves more effectively. High salinity waters will have

to be applied in higher volumes than low salinity waters.

Complicated? Yes! Challenging? Absolutely! But with the right information in hand (some of which was hopefully provided here), good irrigation management is also feasible.

Larry J. Stowell, Ph.D., is a certified professional agronomist and certified professional plant pathologist at PACE Turfgrass Research Institute (PTRI) in San Diego. The PACE Turfgrass Research Institute Advisory Board plays a critical role in providing research direction, generating financial support and participating in research experiments. The 1997 board is composed of: Alan Andreasen, El Niguel CC; Buzz Barker, Antelope Valley CC; Jeffery Beardsley, Big Canyon CC; Mike Caranci, Candlewood CC; Sandy Clark, Rancho Bernardo GC; Candice Combs, Balboa Park GC; Gary Dalton, San Diego CC; Bruce Duenow, La Jolla CC; Jim Duffin, Los Amigos GC; Bill Gallegos, Los Coyotes CC; Mike Huck, USGA; John Harkness, Arrowhead CC; Eric Lover, Dove Canyon CC; John Martinez, SCGA at Rancho California; David Michael,

## YOUR ONE-STOP SOURCE FOR AMERICA'S LEADING BASEBALL SURFACES & SUPPLIES!



**USED BY OVER 100 PRO TEAMS!  
PLUS 8 OF THE LAST 10 WORLD SERIES CHAMPS,  
OVER 500 COLLEGES, AND THOUSANDS OF  
TOWNS & SCHOOLS WORLDWIDE!**


**800-247-BEAM**

FAX: 908-637-8421 908-637-4191 GSA #GS-07F-6143A

**DISTRIBUTION CENTERS NATIONWIDE!  
OVER 200 INFIELD PRODUCTS  
FREE INSTRUCTIONAL BROCHURES**


**Introducing REGIONAL INFIELD MIXES  
BLENDED FOR YOUR STATE & CLIMATE!**

## Does Your Sports Field Make a Better Surf than Turf?



**Solve your sports field drainage problems with the easy, economical...**

## TerraFlow™ DRAINAGE SYSTEMS



FOR FREE INFORMATION contact  
your local dealer or call:

**1-800-338-1122**

Also seeking qualified dealers.

Contech TerraFlow™ is an easy-to-install solution for park and field drainage problems. These modern systems outperform ordinary, more expensive pipe/stone drain construction.

Backed by years of field proven performance, TerraFlow provides high flow capacity and extended durability. Installs quickly with minimum turf disturbance without special tools or equipment.

**CONTECH**  
CONSTRUCTION PRODUCTS INC.

*Friendly Hills CC; Wayne Mills, Valencia CC; Jim Neal, Rolling Hills CC; Ron Nolf, Vista Valley CC; Robert O'Connell, Brentwood CC; Don Parsons, Old Ranch CC; Kurt Rahn, Leisure World Laguna Hills; Mark Schaer, San Luis Rey Downs GC; John Welter, Menifee Lakes CC; Bruce Williams, Los Angeles CC; Reed Yenny, Mesa Verde CC; David Zahrt, Santa Ana CC.*

## Conducting Low-Cost, In-Field EC

### Measurements

Evaluation of soil solution salinity via electrical conductivity (EC) measurements normally requires a complex laboratory procedure involving preparation of a saturated soil paste and vacuum filtering the solution out of the soil before an EC measurement can be taken. Fortunately, Cole-Parmer makes a relatively low-cost EC meter, the TDS-4 (\$55.50), that allows direct measurement of soil ECs under field conditions. The company does not manufacture the TDS-4 for this purpose, and therefore does not supply instructions; but following the protocol described below, you can use the meter to monitor soil ECs on-site:

1. Run the irrigation system or use a watering bucket to saturate the area to be evaluated. The soil must be saturated to obtain an accurate reading.

2. Shove the probe into the thatch/soil so the electrodes are completely immersed in the thatch/soil.

3. Read the meter and convert the meter reading using the conversion table provided here (Table 1). Record the converted value for future reference.

4. To measure soil ECs from deeper in the profile, pull a core sample, saturate the area to be tested and stick the probe into the soil. Note: do not be gentle with the electrodes. Firm contact between the electrodes and the soil is critical for accurate measurements.

Measurements taken directly from soils in the field are somewhat variable because they are dependent upon soil-moisture conditions and effective contact between the electrodes and the soil. However, the direct field readings will provide an estimate of soil solution EC that will allow you to determine when salts are building up and leaching is needed.

For example, when the TDS-4 meter reading exceeds 0.7 mS/cm (dS/m), the extract EC is approaching 3.0 dS/m, the

upper limit for healthy Kentucky bluegrass growth and development. In this example, leaching will be needed to prevent further increase in EC and resultant plant stress. All turfgrass varieties will grow more vigorously at low soil ECs.

**Reference:** Stowell, L.J., and Davis, S. 1993. Direct measurement of electrical con-

ductivity (EC) in golf course high-sand-content soils. *Phytopathology* 83:693.

**How to order the TDS-4:** Call Cole-Parmer at (800) 323-4340 and request the TDSTestr 4™, Cat. No. 19800-30. Calibration solution (1.4 mS/cm = 1,400 µS/cm) is also available in 500 cc quantities, Cat. No. 01482-70, for \$15.50. 

Q: What do all of these teams have in common?

Oakland A's  
Arizona Diamondbacks  
University of Texas Longhorns  
San Diego Chargers  
University of Southern California Trojans  
California Angels  
Arizona State University Sun Devils  
San Francisco 49'ers  
San Diego State University Aztecs  
San Francisco Giants  
San Diego Padres  
Los Angeles Dodgers  
Oakland Raiders  
Arizona Cardinals

A: They are at "HOME" on West Coast Turf!

**WEST COAST  
TURF**

GROWERS AND  
INSTALLERS OF  
PREMIUM QUALITY  
SOD AND STOLONS

P.O. Box 4563, Palm Desert, CA 92261 (800) 447-1840



# Las Vegas Warms up to STMA

A day of learning and sharing ideas greeted nearly 50 individuals who gathered at the University of Nevada, Las Vegas (UNLV) last summer on a typically hot desert day. Ibsen Dow of Las Vegas Fertilizer was instrumental in putting the program together and notifying turf managers of parks, schools and other facilities. Several industry suppliers gave presentations on a variety of topics: seed selection, irrigation, soil conditioners, fertilizers, and soil and tissue testing.

Those in attendance especially appreciated a presentation on sports and athletic field management by Floyd Perry of Grounds Maintenance Services. Perry showed numerous slides and described sports turf managers who used ingenuity to accomplish safer playing surfaces and to develop tools to aid in their field management. Some of those tools can be modified by others to fit their situations, and others may find their way to the marketplace someday. From the discussion during lunch, it appeared that everyone gathered ideas to put into practice.

UNLV's head baseball coach, Rod Soesbe, then led the group on a tour of the baseball facility and told how he used donations and volunteers to turn a less-than-average field into one of the best in the Southwest and one the team proudly plays on and helps maintain. Three members of the UNLV grounds crew belong to the national STMA, and the entire crew is responsible for all grounds and athletic fields on campus. They also are responsible for general mowing and maintenance. The team does all the pre- and post-game field preparation.

At the conclusion of the educational sessions, those interested in forming an STMA chapter discussed the necessary steps. STMA Executive Director Steve Trusty met with the group, answered questions and offered support to assist in the formation. Initial discussions indicate there is sufficient interest and facilities to support a Southern Nevada Chapter of STMA. Those in attendance agreed to meet in



At the University of Nevada, Las Vegas, a less-than-average field was turned into one of the best in the Southwest thanks to Coach Rod Soesbe and his team. Photo courtesy: Trusty & Associates.

a month to discuss incorporation and officer selection so the process can continue towards a chapter.

Anyone interested in joining a chapter in this area should contact Ibsen Dow at Las Vegas Fertilizer. His number is (702) 649-1551.

Chapter visits by the STMA executive director are made possible through the support of the Chapter Gold Level sponsor, Novartis, and the Silver Level sponsors, The Scotts Company and Hunter Industries.

## STMA Chapter News

**Florida Chapter #1:** The Florida #1 Chapter will meet at Ft. Lauderdale Stadium from 8:30 a.m. to 2 p.m. on October 21. The meeting will focus on and include demonstrations of aerifying and topdressing. Vendors are encouraged to participate. Please contact John Mascaro for details.

The chapter also will meet on December 10 from 8:30 a.m. to 1 p.m.

at the University of Miami in South Miami. The topic for this meeting is turfgrasses for sports fields.

For information, contact John Mascaro: (954) 938-7477.

**Iowa Chapter:** The Iowa Sports Turf Managers Association will hold a football workshop on October 25 at Iowa State University (ISU) in Ames. Attendees will meet at 11 a.m. outside Jack Trice Stadium for a 1 1/2-hour group discussion on the procedures and practices of painting, marking and mowing. From 1 to 4 p.m. they'll attend the homecoming football game as ISU takes on Baylor. Following the game, the group will meet in the north end-zone area to begin post-game repairs. The ISU stadium staff will go through the different procedures of preparing the field for the next game, including field sweeping, aerifying, overseeding with pre-germinated seed and topdressing. During this time, attendees will have a second opportunity to ask questions and discuss field

*continued on page 23*

**The Concept  
Behind  
The  
John Deere  
GATOR  
Utility Vehicle**



**Is  
Simple**




# It Works




This 6x4 with optional heavy-duty suspension takes the rock and roll out of rugged transport jobs.




Loading and unloading walk-behind equipment is easy with this tailgate ramp attachment.




The LP Gas kit on the 4x2 helps take care of in-plant maintenance.



## and Works.



Even the 10-hp 2-wheel-drive Gator 4x2 has plenty of pulling power.



Clean out dairy barns fast with a 72-inch-blade-equipped Gator.

