sportsTURF

Field Focus continued from pg. 10

Hoover's Basic Maintenance Plan

Standard turf maintenance

Fertilization: The plan is based on four to five soil tests per year; light granular applications at two- to three-week intervals between February and September; and a base nitrogen rate of 3/4 lb. per 1000 sq.ft. The nutrient mix is adjusted according to soil test results, turf performance and weather conditions. Winter fertilization is based on field needs and weather conditions. Liquid iron is applied monthly during active turf growth. Annual lime applications are based on test results.

Aeration: Core aeration is performed four to five times each year. Cores are collected, and topdressing follows twice a year.


Pesticides: Minimal insect control is needed, and a preventative fungicide application program is in place.

Mowing: The field is mowed daily during baseball season: the outfield with a ride-on reel greens mower, and the infield with a walk-behind reel greens mower. Outfield turf is maintained at a one-inch height, and this is changed to a 1-1/4-inch height in the fall. Infield turf is kept at a 3/4-inch height, and is moved to a fall height of one-inch.

Mound and skinned area maintenance

Standard Program: Repairs to the pitcher's mound and bullpen mounds follow each game. Mounds are watered lightly and tarped. The nail drag is used on skinned areas at least once a week.

For a 7 p.m. game: Groom the infield with a field rake at 9 a.m.; saturate skinned areas after grooming;



water again at noon and 3 p.m.; apply less water each time; paint foul lines and bases. After pre-game workouts: touch up the mound and home plate with a hand rake; if you mat drag the skinned area, hand rake the first 36 inches bordering the grass line, and the rest of the area only as needed; water lightly; line the baselines and batters box with chalk liner and string; make a final pass to sweettracked material from the turf.

Beam Clay® proudly announces the 1997-1998 winners of the

BEAM CLAY® BASEBALL DIAMOND of the YEAR AWARDS

PROFESSIONAL

HOOVER METROPOLITAN STADIUM
Birmingham Barons

COLLEGE

AL WORTHINGTON BASEBALL STADIUM Liberty University

SCHOOL, MUNICIPAL, OR PARK

LA JUNTA POTTER PARK FIELD La Junta, Colorado

The BEAM CLAY® Baseball Diamond of the Year Awards are sponsored by BEAM CLAY® the Sports Turf Manager's Association, and sportsTurf Magazine to honor excellence and professionalism in maintaining outstanding, safe, professional quality baseball diamonds. Winners are selected by a special awards committee of major league head groundskeepers.

This year's judges were (AL-EAST) Tom Farrell, Toronto Blue Jays; (AL-WEST)
Barney Lopas, Anaheim Angels; (NL-EAST) Ralph Frangipani, Philadelphia Phillies;
(NL-WEST) Eric Hansen, Los Angeles Dodgers.

For more information, call:




712/366-2669



800/247-BEAM 908/637-4191



847-427-9512



by Ross Kurcab

rrigation management balances watering and manipulating water resources to achieve the optimum ratio between turfgrass health and vigor and field usability and playability. It integrates three basic areas of understanding: understanding

your irrigation system, understanding the agronomics of your field, and understanding the needs of the field's users.

When to irrigate

In general, deeper and less frequent irrigation encourages the deep rooting and plant health that enables turfgrasses to withstand stresses, including the stress of play. Turf first signals its need for water with persisting footprints and equipment-wheel marks. This is due to a lack of turgidity, which causes the turf to take longer to "snap back." This is the time to begin irrigation.

As the drought stage advances, the turf canopy begins to develop a slight purple hue. If you wait too long to address the problem, the turf turns brown and eventually dies, especially in sand or sandy soils.

Irrigation frequency

Matching irrigation frequency to the agronomics of your field requires a blending of various soil and plant sciences.

Determine the infiltration and percolation rates of your field's soil. The infil-

tration reading defines the rate at which water enters the soil. The percolation rate determines the rate at which water moves through the soil profile.

These rates and your irrigation system precipitation rate are measured in inches per hour. Rates vary based on



A good irrigation design integrates the basics of water delivery source, piping, heads, controllers, and other components into a system that is compatible with your field's uses and your available water resources. Courtesy: Hunter Industries

> the soil's sand, silt and clay content (soil texture); the degree of compaction, thatch and slope; and various other factors.

Your field's physical characteristics affect the infiltration rate/precipitation rate relationship. Slope reduces infiltration rates. A thick thatch layer (greater than 1/2-inch) also slows the infiltration rate. The greater the degree of compaction, the slower the infiltration and percolation rates. Consider these factors in determining your irrigation program.


Check soil infiltration rates with a soil probe. For greater accuracy, check with a double ring infiltrometer (call your local county extension agent to find one).

Remember, these rates will vary according to the existing moisture levels within the field and other agronomic variables. You may have several "zones" of differing infiltration on the same field, and may have to program irrigation accordingly.

Be sure to take weather variations into account. Factors include: the amount of natural precipitation; humidity levels; and temperature highs, lows and averages. Track sun and shade patterns and their impact on water needs. How will wind affect your irrigation management? When is play scheduled on the field?

Consider your turfgrass cultural practices in relation to irrigation needs. Highly fertilized turfgrasses have a faster growth rate and more succulent growth, so they have a greater need for water. Mowing height affects both evaporation rates and plant water demands. Are your mower blades sharp? This can save a lot of water! Are you conducting the turf cultural practices that tend to result in

continued on pg. 16



Here at the Jackson Township Parks & Recreation Department we have 25 baseball fields, 15 soccer fields, two midget football fields, five flag football fields, one lacrosse field and one ultimate frisbee field. It is my responsibility to make sure these fields are safe, playable and in top condition.

The use of ROOTS™ in our daily maintenance program helps to feed and stimulate root growth and development. ROOTS™ is an essential part of our successful root growth.

David Ruwadi, Operations Director

Jackson Township Parks & Recreation Department

Stark County, Ohio

SportsTURF

a deep, healthy root system capable of mining water from deep within a drought-stricken soil?

How much water?

Different turfgrass species and cultivars have varying irrigation needs. However, as a general rule, moisten the soil to a depth of at least four to six inches with each irrigation. This is where the vast majority of the roots will be.


An irrigation system's precipitation rate is the measure of the amount of water it delivers over a given area in inches per hour. You must determine the precipitation rate. This can be done mathematically by multiplying the total gallons per minute over a given area (GPM) by a constant (96.25), and then dividing this value by the total area (in square feet):

$Pr(in./hr.) = (96.25 \times Total GPM)$ Total Area (sq.ft.)

Or, you can determine the precipitation rate within individual irrigation zones simply by measuring the amount of water collected in rain gauges or straight-sided cans

during a half-hour of operation. Double this measurement to arrive at the output in inches per hour.

The precipitation rate shouldn't exceed the infiltration rate. You may need to build a series of waiting periods (with "soak time") into the irrigation program



Install as many quick couplers as you can afford. Strategically place them around your field of play to allow hand watering to supplement irrigation and reduce its frequency. Courtesy: Jacobsen

> on heavy soils. You need to allow sufficient water movement within the soil profile without creating "puddling" or runoff.

7005 **ALLTEL Stadium - Home of the Jacksonville Jaguars** 7500 6505 **Nelson Sports Turf Gear Drives** "Your home field advantage" Call 1-800-743-1020 for a catalog

Circle 108 on Postage Free Card

Scheduling irrigation

Timing must balance the needs of the turf with the needs of the field's users. Early morning irrigation (between 4 a.m. and 8 a.m.) gener-

ally offers lighter winds and cooler temperatures, so there's less evaporation and drift. Because the turfgrass canopy has longer to dry, there's less disease pressure.

However, morning or early afternoon play may be scheduled. Frost may restrict irrigation at certain times of the year. The optimal irrigation timing may conflict with other field maintenance operations. Again, you have to balance the needs of both the field's users and the turf.

Irrigation system design basics


Before a field is built, identify the water source. Water quality, availability and accessibility are essential components of a workable irrigation system. Develop a wish list for the system in terms of capabilities and capacity, but be aware of your budget.

Work with a system designer who understands that a sports field is not just more acres of turf. Look at what the field is going to be used for, and determine an irrigation system layout that is compatible with the field's needs. The designer must consider not only the basic layout of the field, but also any differing zones of play that affect field conditions. These areas may be best served by separate irrigation zones that can be programmed differently than other zones.

On a football field, for example, irrigation zones should run the length of the field to allow different irrigation management between the hashmarks. On soccer fields, different zones should serve the goal mouth areas. For baseball fields, the outfield and infield turf areas require different zones, and the system must provide for some method of skinned area irrigation.

A good irrigation design integrates piping, heads, controllers, water delivery source, and other components into a system that is compatible with your field's uses and your available water resources.

continued on pg. 19



Scotts_® Platinum Tag Seed. The pure leader in every field.

You want purity? Scotts_® Platinum Tag seed is the highest purity testing standard in the industry, using screening samples 2 times larger than accepted Gold Tag sampling sizes.

You want value? Scotts exceptionally high purity gives you more live seed with a higher germination rate...and that means a much better per-bag value.

You want quality? The wide range of Scotts award-

winning seed varieties grew from a history of innovative technology and outstanding performance...the reasons why "Scotts" means healthier,

greener turf worldwide.


For more information, contact your Scotts Tech Rep today. Or call 1-800-543-0006.



...The Scotts Difference www.scottscompany.com



SUDDENLY THE 50 YARD LINE FEELS A LOT MORE LIKE A FAIRWAY



INTRODUCING THE NEW TORO GROUNDS PROGOLF COURSE QUALITY WITHOUT THE GREENS FEES

The new Grounds Pro 2000 is the first reel mower designed for sports fields. It features a reel blade design that gives you a smoother, more professional cut than a rotary. Yet, unlike reel mowers made for the golf course, the Grounds Pro is designed to fit the budget constraints most sports field managers face. And its value grows when you add any of its productive attachments. Ask your Toro distributor about the Grounds Pro or check it out at www.toro.com/grounds/sports.



productivity

sportsTURF

Install sprinkler heads that have very

strong retractable springs, a small top

size and a protective covering.

Courtesy: Hunter Industries

At the same time, it must remain within your budgetary constraints. More zones and greater flexibility within the controller provide more management options, but at a cost. You have to balance your needs with your budget.

Cautions for system design

Whenever possible, avoid running a live, pressurized main line underneath the field of play. Instead, place it off to the side. The lateral lines that are only under pressure during irrigation can be placed under the field.

For safety, place the valve boxes, quick couplers and drainage boxes off the field of play. Install sprinkler heads that have very strong retractable springs, a small top size, and a protective covering.

To better accommodate irrigation management for special events, include

as many quick couplers as you can afford. Strategically place them around your field of play to allow hand watering to supplement irrigation and reduce its frequency.

Bury your main line as deeply as you can - at least below your average frost level. You'll keep the irrigation system operational later in the fall and start

it up earlier in the spring. Here along Colorado's Front Range, more turfgrass stands are lost to desiccation than to cold temperatures.

Also, avoid exposed (above ground) sprinkler pipes. If you can afford it, consider having a heated building for your main valve and main line tap point.

Include a main "kill switch" in any athletic field irrigation system. This could be a main valve that shuts off the water supply, a switch that interrupts the electrical circuit that powers the valves, or a combination of the two. The last thing you need is for sprinklers to come on during a game.

Finally, make sure you protect your

controller from lightning damage with proper grounding.

One irrigation system - multiple uses

Syringing the field helps reduce turf heat stress. A single rotation of the sprinkler head delivers a light dusting of water that cools the grass as it evaporates. With Denver's high temperatures and low humidity levels, this can drop canopy temperature by 15 degrees F, and the cooling effect can last three to four hours.

Use the irrigation system to wash in fertilizers or pesticides, and to bring field moisture capacity to optimum levels for specific maintenance procedures. Injection systems even add fertilizers, micronutrient packages and soil amendments to the irrigation water.

You can also use the system to "pop" grass seed, and to keep sod moist

enough to establish a strong root system. If conditions are right, use it to thaw canopy frost.

Controlling your system

To properly manage your irrigation, you need to understand how the system works and what it is and isn't - capable of doing. At the very least, you must know

the system's precipitation rate and your soil's infiltration rate. The more you know about the system's components and hydraulics, the greater your ability to manage it.

Whether you've assisted with the design or have inherited an established system, acquire or develop an "as built" blueprint of the installation. This shows the system as it is installed, including any variations made from the original design to accommodate particular field situations. On an inherited system, you may have to track the design yourself every time you do a repair.

Note the location and type of piping, show connection points, and plot the





ΓORO

SportsTURF

placement and type of heads. Then determine the flow rate (in gallons per minute) for each zone on the field and for each landscape area tied into the irrigation system. Compare that to the capacity (water flow and pressure) of your water source to determine which type, and how many zones can be operated at the same time.

Every irrigation system will have a certain range of peak efficiency - a measure of the operating pressures and flow in which the system is designed to function. The pressure at the source is generally based on availability and how quickly you need to get water onto the field. It takes the right pipe size, thickness and length to accommodate that pressure (measured in pounds per square inch). The flow of water (measured in gallons per minute) varies according to several factors, including available pressure, pipe size and length, and the number of outlets. Make sure your irrigation system is operating within the range specified by the design.

Too little pressure restricts the system's water delivery rate and may



On a football field, irrigation zones should run the length of the field to allow different irrigation management between the hashmarks.

result in dry spots. Excessive pressure may create water droplets that are so small that fogging or drifting occurs. The irrigation system should deliver water as uniformly as possible across the field (matched precipitation).

You'll need the flexibility to adjust the precipitation rate and water delivery pattern for matched precipitation under varying circumstances. This may mean changing the heads within a zone, changing the nozzles, or changing the inlet size to increase or decrease the flow to a head. You may also need to adjust the distance of the stream of water (throw) delivered by a head.

Changing these variables will change the coverage area and precipitation rate. A change in one part of the zone will affect the entire zone.

Generally, your system will deliver a stream of water that reaches from one sprinkler head to another (head-tohead throw). If the throw is too short you'll have dry spots; if it's too great you'll have wet spots.

At system start-up in the spring, continued on pg. 22



