As O'Grady had predicted, after all the pre-planning, attention to detail during construction, and the aggressive maintenance program following construction, the field was in great shape and ready for use.



Left: Steve Guise, past president of STMA, presents the 1999 College Softball Field of the Year Award to Illinois State University's Superintendent of Grounds. Mike O'Grady, (center) and Denny Deterding.



Precision lighting keeps the light on the field and away from nearby residents.



The softball field is used from March through October, for ISU NCAA Division I softball games and the practices of the Lady Redbird team.



GREAT REASONS WHY YOU SHOULD CONSIDER **BULL'S EYE** Bermuda FOR YOUR NEXT

PROJECT.

- Virtually No Seedheads
- Good Shade Tolerance
- Deep Blue-Green Color
- Medium-Wide Blade For Texture Contrast
- Can Be Mowed With Rotary or Reel



BULL'S EYE Bermuda



www.westcoastturf.com 760/360-5464 800/447-1840 FAX: 760/360-5616

Circle 105 on Inquiry Card







The softball field is used from March through October, for ISU NCAA Division I softball games and the practices of the Lady Redbird team.

Field construction was **completed** in August of 1998 with the softball team's fall practice sessions coming just 5 weeks after the sod installation.



Infield raincovers can now be installed in a minimum of time.



Even a full size fieldcover for football or soccer is easier to handle.

Protection Made Easy... with the FIELDCOVER SYSTEM by COVERMASTER®

You're always ahead of the game with the Fieldcover System by COVERMASTER®. Thanks to this easy-to-use equipment, installation, removal and storage of a fieldcover can be quick and simple.

First, there's TARPMATE™, a strong and lightweight plastic roller available in any length and


MASTERS IN THE ART OF SPORTS SURFACE COVERS

supplied with safety end caps.

Then comes TARP MACHINE™. Attached to the P.T.O. on your tractor, this clever handling tool makes light of rolling the cover on and off the field.

Finally, with our wide choice of cover materials, COVERMASTER® will custom design a cover in the size, weight and configuration that meet your

specific needs.
The COVERMASTER® FIELDCOVER SYSTEM. You could say we have you covered. Call us today and see.



CALL TOLL FREE 1-800-387-5808



www.covermaster.com E-mail: info@covermaster.com

COVERMASTER INC., 100 WESTMORE DR. 11-D, REXDALE, ON, M9V 5C3 TEL 416-745-1811 FAX 416-74-COVER (742-6837

Daily Infield Maintenance

Pre-practice and Pre-Game:

Drag skinned area with nail board and drag mat. Touch up turf edges with hand rake. Irrigate lightly.

Between Doubleheaders:

Mat drag infield skin and baselines. Irrigate lightly.

Pre-game or In-game:

Apply calcined clay to wet or heavy wear areas.

Post Game:

Mat drag infield skin and baselines.


for big roll installation was placed on the crane which then swung it into the proper place in the outfield. One crew member used a lead rope, moving backward in front of the roll to guide it into place. Two other crew members used rakes to make sure the sod was tight and straight. The contractor laid 5,000 yards of sod in less than 24 hours using this method. Though it was effective, the contractor admitted that the costs were so high he probably won't use the method again. With the sod in place and the turf mowed twice a week with a reel mower to a height of 1 1/4 inches. the field drains at the rate of 2 1/2 inches of rainfall per hour."

Let there be light

Lighting was another challenge. O'Grady says, "The softball field is only divided from a residential area by a 40foot wide street, so we needed to take great care to keep from invading people's privacy. Musco installed a TLC system with a 70/50 foot candle ratio that focuses the light to exact locations on the field with no spill over. It effectively stops the reflective light of our field at the curb line."

Field construction was completed in August of 1998 with the softball team's fall practice sessions coming just 5 weeks after the sod installation. As O'Grady had predicted, after all the pre-planning, attention to detail during construction, and the aggressive maintenance program following construction, the field was in great shape and ready for use.

Bob Tracinski is the business communications manager for the John Deere Worldwide Commercial & Consumer Equipment Division beadquartered in Raleigh, N.C. He serves as public relations co-chair for the national Sports Turf Managers Association.



Mowing: Height Manipulation

by Mike Andresen, CSFM, and Leo Goertz



urfgrass is a complex organism. Mowing decisions concerning cutting height and frequency of cut impact far more than aesthetic appeal; they affect turf health, density and grass variety dominance. Well managed mowing can result in a more vigorous plant, with greater stress resistance and thus a better surface for athletic fields.

Conditions for top playability on athletic fields may not be the conditions ideal for the turfgrasses on those fields. Sports turf managers develop mowing strategies to fit their specific playing fields and conditions with safety and playability always the top two issues of consideration.

Mike's Mowing Strategy

Iowa State University is in Ames, Iowa, in the cool-season grass zone. Winter temperatures can drop to below zero and remain there for extended periods. Snowfall may be frequent and heavy or infrequent and minimal. Summer temperatures often are in the high 80s and low 90s with high humidity levels. Spring and fall bring widely fluctuating temperatures. Over the last decade, annual precipitation levels have ranged from flood to drought conditions.

As athletic turf manager for the university, I keep the mowing height of the Kentucky bluegrass/perennial ryegrass football game field at 1 5/8 inches. This strategy is based on my observations and experience and does not necessarily agree with the advice or opinions of others.

There are several reasons why I've chosen to mow at a consistent (and relatively short) height. First, I feel it promotes more plants per square foot, which in turn promotes quicker recovery from the damage and wear of play. Because our overall maintenance program keeps the turf growing rapidly, maintaining this height requires mowing every other day to follow the "1/3 rule." (Remove no more than one-third of the turfgrass blade in any one mowing.) Maintaining this short height also requires daily attention to field conditions to retain the precise surface we want.

I'm convinced that I get a less damaging and more efficient aeration job because of the lower turfgrass height.

Use all the tools available to gauge conditions so you can use proactive rather than reactive management practices and can control the environment as much as possible.

Penetration of the tines is a bit deeper and more uniform and core removal is easier at the lower height. The holes created have greater exposure to air, water and sunlight.

I'm also convinced I get a less damaging and more efficient topdressing job. There's less distance within the turfgrass canopy for the topdressing material to filter through to reach the soil surface. I believe I can put on a bit more topdressing at this lower height without worrying that the leaf blades will be covered by the topdressing material.

I have more control of the moisture in the canopy, crown and organic layer. This helps me control humidity as much as possible. Though this sets up a chance for a more volatile temperature environment, it's balanced by the degree of control.

I'd rather grow grass in a prairie environment than in a rainforest. With the lower consistent mowing height I know that the turf will dry out more quickly and that irrigation will be needed in dry, windy conditions. But, I'd rather have that than an environment that traps moisture and holds it there, creating moist, lush "rainforest" conditions that encourage the activity of disease organisms and provide an environment more susceptible to insect pests.

There are potential negatives to this strategy. First, it may be opening the possibility for a more volatile situation for diseases or insects since, theoretically, the turfgrass stress level would be higher at the lower height. However, if the environment is managed to correspond with existing and anticipated conditions, I'm not convinced that this is entirely true. By avoiding a lush situation within the growing plants, I've seen minimal disease and insect activity.

Next, the lower height of cut results in a thinner bladed plant due to the closeness of the plants. I feel I get more plants per foot, providing better and faster post-game recovery.

There are some keys to this management strategy. The prime one is monitor, monitor, monitor! Use all the tools available (soil probe, temperature gauge, magnifying glass, amber lens glasses) to gauge conditions so you can use proactive rather than reactive management practices and can control the environment as much as possible.

Next, develop an efficient irrigation system and irrigation philosophy. With the lower mowing height, when you need a syringe, you need it now!

Then, be prepared with a set of last resort strategies. Be ready to skip a day of mowing if the grass really shows stress. Use the very light syringe (as if you lick your finger, then blow on it) to relieve stress as needed.

Finally, be willing to swallow your pride and raise the mowing height in desperate cases.



For Tough Turf Tasks.



For more than 30 years, Kubota has been building diesel powered equipment to handle tough turf and landscaping projects.

Kubota M-Series utility tractors, from 47-90 net engine HP, offer a user friendly design and an ergonomically engineered operator platform for comfort and ease of operation. These tractors are powered by quiet Kubota E-TVCS diesel engines. Cab models provide a zone of operator comfort and all weather protection.

The compact sized B21/L35 TLB's are designed to work in tight places and are easy to transport from one job site to the next with a 3/4 ton pick-up and trailer. Versatility is provided with Kubota's quick-attach backhoe, Category I, 3-point hitch and rear PTÓ.

Kubota Grand L-Ten Series from 30 to 46 net engine HP offer a variety of transmission choices - fully synchronized main and shuttle transmission (FST),



for more information, please contact:

clutchless glide shift transmission (GST) and the new "FeatherStep" HST.

The F60 front mowers increase a crew's productivity with ease of operation and precision



cutting. The Auto Assist 4WD with dual-acting, over-running clutch system delivers turf saving traction, in forward and reverse.

When you have tough turf and landscaping jobs to get done, get Kubota.





KUBOTA TRACTOR CORPORATION

P.O. Box 2992, Dept. ST, Torrance, CA 90509-2992 Toll Free 1-888-4 KUBOTA, ext. 408 (1-888-458-2682, ext. 408) • kubota.com Financing available through Kubota Credit Corporation.





Closely monitoring turf, and using proactive rather than reactive strategies, helps develop strong, healthy and attractive playing surfaces.

Leo's Mowing Strategy

Texas A & M University is in College Station, Texas, in the warm-season turfgrass zone. It's a bit north and west of Houston, but still within what is loosely classified as the humid South. Temperatures are hotter earlier and longer than in the Midwest, but ice and snow are still winter factors. Annual precipitation has fluctuated between too much and too little within the last decade.

As athletic field manager for the university, I use varying mowing heights to achieve the results I want. I use only Bermudagrass on our football game field. I start mowing at a 1/2-inch height in March and continue at that level until August 1. Then I raise the height to 3/4 inch until October. I'll then go to a 7/8-inch height and stay at that level through the winter when the Bermudagrass goes dormant.

I feel 1/2 inch is too short for play because it exposes the turf to greater wear and tear. At the college level, the longest cleats football players can wear are 3/8 inch. If those 3/8-inch studs dig into 1/2-inch turf they'll reach into the thatch and do more damage than the plant can withstand. With more tissue on top to protect the rhizomes and stolons, the plants have enough resources to recover from the damage.

When the days become shorter in October, I put even more tissue on top with the 7/8-inch cut to collect light and heat and keep the Bermudagrass going as long as possible. With the 7/8-inch cut I can keep the turf growing past the first couple frosts and cool spells. We finish play in November and, if the temperatures follow our usual pattern, the longer leaf tissue gives us the ability to maintain plant growth and finish the season still playing on a growing surface. I'll stay with that 7/8-inch height through the course of winter.

Once the weather breaks in March, I want to shave the turf down to 1/2 inch to get more heat and light to the crown of the plant to stimulate growth. I'll then verticut and incorporate all the necessary cultural practices at the shorter height to help thicken the turfgrass stand and form a dense base for play.

I do overseed perennial ryegrass into the Bermudagrass football practice fields, but keep the height of cut at 1/2 inch, just like the game field, so there's no difference in height to

affect the players. Our football coaches feel the perennial ryegrass is too slick to play on which is why I keep straight Bermudagrass on the football game field. The perennial ryegrass on the football practice fields is only actively growing in the fall during the late part of October and early November, and then only a minimal amount of the perennial ryegrass comes into play.

To insure that happens, I'll make the applications of perennial ryegrass at lower rates over a longer period. I'll only apply about 2 to 3 pounds on the football practice field in late October. I'll then repeat the applications two or three times for a total of approximately 10 pounds of perennial ryegrass seed per 1,000 square feet. As that germinates and comes up and gets mature, it's ready to

provide the surface for spring training.

We use reel mowers across all the fields because it gives a clean cut and enhances the patterning effect. We mow the football game and practice fields every day as much for thatch and sprig clean up as mowing off the top of the blades. We'll also use the reel mower, with the reels disengaged, right after a game to push back into place all the divots and sprigs that have been disturbed during play. This light rolling insures good root and soil contact and eliminates the drying effect of air contact around the plant roots over night. We'll then come back in the next day to mow. If we mow right after the game, we'll take off too much leaf tissue of the sections that have been roughed up, resulting in the yellowing and stress of scalping.


With our baseball and softball fields, I maintain a 3/4inch height all season so the turf height doesn't change

the ball speed.

I do use overseeded perennial ryegrass in our Bermudagrass base on both our baseball and softball fields. I overseed in late October with the perennial ryegrass. Once it is up and growing I mow it at 3/4 inch and go through the spring playing season on the perennial ryegrass. I don't make any adjustments in mowing height through May and into the first part of June, keeping the perennial ryegrass actively growing until the end of the spring playing season. I mow the baseball and softball fields every other day. The baseball and softball seasons end about the same time the perennial ryegrass does. Weather conditions become too hot for it and just hot enough to stimulate active growth in the Bermudagrass base. I do use all the cultural practices to phase it out over the summer except dropping the mowing height. I don't have to push for phasing it out by a certain time so I don't need to be too aggressive, but I do make sure it isn't so active it hurts the Bermudagrass base. The teams hold their fall practices and workouts on the actively growing Bermudagrass. Once that is completed, I'll overseed with the perennial ryegrass.

Mike Andresen, CSFM, is athletic turf manager for the Iowa State University Athletic Department in Ames, Iowa. He's a board member of the national STMA and a past-president of the Iowa Chapter. Leo Goertz is athletic field manager for the Texas A & M Athletic Department in College Station, Texas. Both are frequent presenters at turf-related conferences.

stellar performance...



You can trust the stars if you like, but the fact is that UHS Signature Brand Fertilizers™ are outstanding performers.

But don't take our word for it, both university trials and customers are attesting to Signature's premium results.

Check with your UHS salesperson for more details.



www.uhsonline.com • 800-847-6417

UHS Signature Brand Fertilizers are a product of United Horticultural Supply

The **Green Inclustry's**Comprehensive **Website**



COMPREHENSIVE LINKS TO INDUSTRY WEBSITES

ASSOCIATION INFORMATION

PRODUCT AND SERVICES DIRECTORY

REFERENCE MATERIALS

EDITORIAL ARCHIVES

EXCLUSIVE EDITORIAL

