

Got Thatch?



GET A THATCH MASTER

60"/72" (Fairways/Athletic Fields)

Turf Specialties, Inc.
800-201-1031
www.turfspecialties.net



The Shindaiwa EB630 is the ultimate backpack blower. Reduces clean-up time by 50%.

- Incredible output: 613cfm, 201 mph
- Giant airfilter extends run times
- Ideal for toughest blowing jobs

We offer 4 commercial-grade models from the hand-held EB240S up to our most powerful blower, the EB630.

To find a dealer nearest you, call (800) 521-7733, or visit www.shindaiwa.com

shindaiwa
 FIRST TO START. LAST TO QUIT.

Shindaiwa Inc.
 11975 SW Herman Rd.
 Tualatin, OR 97062

Circle 179 on card or www.oners.ims.ca/2917-179

Turf Diagnostics & Design

"managing the elements through science"

Natural and Artificial Turf Testing
 Independent Testing & Consulting

A2LA Accredited Lab
 Laboratory & On-Site Evaluations
 Soil Testing
 Subgrade Evaluations
 Diagnostic Core Testing
 Field Hardness Testing (GMAX)
 Rootzone Mix Design & Testing
 Maintenance Recommendations
 Renovation Advice
 Construction Quality Control
 Water Management Solutions
 Quick Turnaround Time
 Accurate Results
 Informative Reports

Turf Diagnostics & Design, Inc.

Phone: 913-780-6725

Fax: 913-780-6759

Web: www.turfdiag.com

Circle 180 on card or www.oners.ims.ca/2917-180

MASA

Mid-America Sales Associates

Request a **FREE** 96 page catalog **TODAY!**

800-264-4519

Check us out for the best prices & largest selection!



- Lacrosse
- Field Hockey
- Football & Soccer
- Field Maintenance Equipment
- Baseball & Softball
- Multi-Sport Section

Where Customers Come First!

Secure Shopping 24/7!

www.masa.com

Circle 191 on card or www.oners.ims.ca/2917-191

<http://www.sportsturfmanager.com> • STMA

GOOD THINGS HAPPEN...



AFTER MIDNIGHT

Introducing two advanced premium Kentucky blues from Turf-Seed, Inc.

Midnight II. Rich, dark green-blue and compact-growing. The next generation of Midnight with improved year-round color, increased resistance to rust and mildew, improved summer performance and hard-wearing traffic tolerance.

Midnight Star. Deep, dark green. A Midnight hybrid with more seed yield for improved economy, and stubborn resistance to stripe rust.

Combine either with our elite Kentucky blues — **Moonlight, Brilliant and North Star**, or with other quality Turf-Seed, Inc. varieties to create strong, diverse blends and mixes. From the diligent research and superior breeding of Pure Seed Testing come the latest Kentucky blues, two new turfgrass solutions available from Turf-Seed, Inc.



TURF-SEED, INC.

Your Success Depends on Seed / Satisfaction Guaranteed.

800-247-6910 • www.turf-seed.com
 email: info@turf-seed.com • fax: 503-651-2351

Circle 181 on card or www.oners.ims.ca/2917-181

One Field One Line of Products



A New Foundation for Sports



For Your Nearest Distributor
WESSCO, INC. 800-650-9322
WWW.KLAWOG-KLACON.COM

Circle 182 on card or www.oners.ims.ca/2917-182


Finally, physics class is useful!

Editor's Note: Because we introduced several errors into Dr. Miller's formulas in October issue, we are re-running this column with corrections.

I'm a landscape architect in the Midwest and have been asked by our client to look for an answer to a baseball geometry problem. They have a Babe Ruth field that needs to have its outfield fence moved back but because of site constraints the left field fence cannot be moved. Instead of moving the fence I believe we can raise its height to make the adjustment to allow for the horizontal dimension (home run or out of the park dimension) change. I know there is a formula for figuring this geometry change but I haven't hooked up with the right source yet. Do you have a reference?

The distances are left, 317 feet; center, 317 feet; and right, 312 feet. Ideally they would like Center to play 360 feet.

Steven S. Ford



Well Steven, I thought this would be a question that would be easily answered but I was wrong. I batted zero with a few turf colleagues and industry representatives. I finally had to sit down with an engineer friend of mine to work through the calculations. I then had a graduate student at Clemson University (also a professional engineer) double-check our answer and suggest something different (based on an assumption we had missed).

So I poured over all these calculations and made a few more adjustments (after reading my old college physics book). Then I faced the most difficult part of solving this problem—how to explain it.

Let me write out what I can that does not involve formulas. First, only one fence distance (317 feet) was used since both left and center is the same. Second, you get the most distance from a ball if it leaves the bat from a 45-degree angle. But realize this is not a simple triangle ($a^2 + b^2 = c^2$) type problem since the ball moves in an arc. It is what they call in physics, "uniform acceleration in two dimensions." That is almost how I would describe my last bike wreck, when I slowed down quicker than the bike did.

To do this problem you have to work with a couple of equations and variables to calculate movement in two directions. The ball is moving up (later down) which we will label as the "y direction." The ball is also moving out (away from batter) which we will label as the "x direction." The formulas used to solve the problem involve some trigonometric functions [i.e., sine (sin), cosine (cos), and tangent (tan)], but their relationship in this problem and the 45-degree angle simplifies the math. It was assumed that the ball was hit from a 3-foot height. This is important since you have to subtract that height from the height of the outfield fence. Later you will need to add that height back to your answer.

Other than length to the outfield fence and height of the outfield fence, you also have to work with the velocity of the ball (which influences trajectory and time in the air) and gravity. Velocity will have to be calculated, but for gravity (g) we can use the constant 32.2 feet per second. In this case we assumed there is no air resistance. This is a practical assumption for the calculation, but in reality there can be many influences related to airflow. From here on out the answer involves some equations and calculations. If you round your answers, you can have a dramatic influence on the final outcome, so keep the rounding to a minimal.

The diagram gives you some idea how to set the problem up.

The first step is to solve for time (t) to hit the ball 360 feet and clear a 6-foot wall since this is the length the high school wishes the field would play. This will involve solving for time in both the x and y direction.

$$\text{In the x direction: } t = \frac{x_i}{v \cos 45^\circ}$$

$$\text{In the y direction: } y_i = v \sin 45^\circ t - 1/2 gt^2$$

Substitute t from x direction into the first part of the second equation to get: $y_i = x_i \tan 45^\circ - 1/2 gt^2$

$$\text{Solve for time, } t = \sqrt{\frac{2}{g} (x_i \tan 45^\circ - y_i)} \text{ or}$$

$$t = \sqrt{\frac{2}{32.2} (360 \tan 45^\circ - 3)} = 4.68 \text{ seconds}$$

We then determine if it takes 4.68 seconds for the ball to go 360 feet, it only takes 4.13 seconds to travel the 317 feet. Using this information, one can go back and solve the third equation used above.

So the top of the fence should = 45 feet 5 inches.

$$y_i = 317 \tan 45^\circ - 1/2(32.2 \times 4.12^2) = 42.4 \text{ feet, plus 3 feet (initial height difference)}$$

Well, you can see that there is a certain amount of complication in working through this problem since more than one equation is needed. But given the correct equations and a few logical assumptions it can be solved. Who said you would never use what you learned in physics? **E**

Acknowledgement: Thanks to Michael Dukes, Ph.D., PE and L. Ray Hubbard, Jr., PE for assistance with this problem.

QUESTIONS? Send them to Grady Miller at the University of Florida, PO Box 110670, Gainesville, FL 32611, or email gmler@mail.ifas.ufl.edu. Or, send them to Dave Minner at Iowa State University, 106 Horticulture Hall, Ames, IA 50011, or email dminner@iastate.edu.

**Do it once.
Do it right.**



Multi-Flow Drainage Systems

Use the best drainage product and you won't be returning to replace it. Multi-Flow systems are designed and built to last. Multi-Flow collects and carries water rapidly, and won't crush or block. You can't buy or build a better drainage system.

Do it once. Do it right. Drain it with Multi-Flow.

Multi-*FLOW*
WATER MANAGEMENT

• Varicore Technologies, Inc. • 800-978-8007 • service@varicore.com •
• www.varicore.com •