


25,031 groundskeepers, athletic field managers, schools, colleges and universities, parks and recreation personnel and STMA Members. Advertise directly to your customers and prospects who are looking for and are buying used equipment.

FOR MORE INFORMATION CONTACT:

## 913-897-4158 **TONYA PRZYBYLSKI** tpriz@aip.com

Visit www.greenmediaonline.com for new classified listings.





www.DSSworks.com

Circle 184 on card or www.oners.ims.ca/2915-184

## **Jaydee Drive Liner**



The Jaydee Drive-Liner is a self-propelled riding line-marker featuring a 13.5 h.p. Briggs & Stratton engine, along with a 3.3 gallon remote fuel cell, a 35 gallon paint tank that carries enough marking material for a complete game field, or several practice fields. The 2 gallon flush tank cleans the discharge lines for work-breaks, travel or overnight. Center/side-marking sprayshields are always operator visible. A nearly zero degree turning radius reduces or eliminates back and turning maneuvers.

### Jaydee Equipment Company

202 East Joliet Highway, Box 278 New Lenox, IL 60451-0278 TOLL FREE: 1-800-443-3268 jaydee@theramp.net • www.jaydeeeqco.com

Circle 185 on card or www.oners.ims.ca/2915-185

## CLASSIFIEDS

SPORTSTURF reaches 25,031 groundskeepers, athletic field managers, schools, colleges and universities, parks and recreation personnel and STMA Members who could be reading your ad RIGHT NOW. ADVERTISE ... IT WORKS!

#### FOR MORE INFORMATION CONTACT:

913-897-4158 TONYA PRZYBYLSKI tpriz@aip.com VISIT WWW.GREENMEDIAONLINE.COM FOR NEW CLASSIFIED LISTINGS.

#### FOR SALE

Wholesale distributor of fertilizers, ag minerals and soil conditioners. Our product line includes: Turf fertilizers • Humates

 Klawog Gypsum • Lime Klacon Products strategically warehoused throughout U.S. for prompt delivery.



1.800.747.2486 www.gypsumsales.com

Circle 200 on card or www.oners.ims.ca/2915-200

#### CLASSIFIED ADVERTISING WORKS! ADVERTISE YOUR SERVICES ADVERTISE YOUR PRODUCTS

SELL YOUR BUSINESS 
FIND QUALIFIED EMPLOYEES
SELL YOUR USED EQUIPMENT
ADVERTISE A SALE
ADVERTISE YOUR WEBSITE

We have many advertising options at affordable rates and FREE online advertising!!

Call Tonya today to reserve your ad space! 913-897-4158

#### HELP WANTED

#### TURF MANAGER

Jade Run Sod Farms is seeking a detailoriented individual with a two-yr. degree or three yrs exp. in the turf industry. This full time, yr. round position includes overseeing the day to day management of turfgrass maintenance, including mowing, irrigation, and fertilization, establishing and following a program of integrated pest management, field preparation and seeding in order to maintain the highest quality of sod. This individual must possess a valid drivers license (CDL is a plus) and have the ability to obtain a DE Pesticide Applicators License. Benefits include a salary commensurate to experience, major medical, paid vacation and holidays, and life insurance. Interested candidates should send resume to PO Box 216, Bethel, DE 19931, or e-mail: Jaderun@comcast.net

# Finally, physics class is useful!

I'm a landscape architect in the Midwest and have been asked by our client to look for an answer to a baseball geometry problem. They have a Babe Ruth field that needs to have its outfield fence moved back but because of site constraints the left field fence cannot be moved. Instead of moving the fence I believe we can raise its height to make the adjustment to allow for the horizontal dimension (home run or out of the park dimension) change. I know there is a formula for figuring this geometry change but I haven't hooked up with the right source yet. Do you have a reference?

The distances are left, 317 feet; center, 317 feet; and right, 312 feet. Ideally they would like Center to play 360 feet.

Steven S. Ford

ell Steven, I thought this would be a question that would be easily answered but I was wrong. I batted zero with a few turf colleagues and industry representatives. I finally had to sit down with an engineer friend of mine to work through the calculations. I then had a graduate

student at Clemson University (also a professional engineer) double-check our answer and suggest something different (based on an assumption we had missed). So I poured over all these calculations and made a few more adjustments

(after reading my old college physics book). Then I faced the most difficult part of solving this problem — how to explain it.


Let me write out what I can that does not involve formulas. First, only one fence distance (317 feet) was used since both left and center is the same. Second, you get the most distance from a ball if it leaves the bat from a 45-degree angle. But realize this is not a simple triangle (a2 + b2 = c2) type problem since the ball moves in an arc. It is what they call in physics, "uniform acceleration in two dimensions." That is almost how I would describe my last bike wreck, when I slowed down quicker than the bike did.

To do this problem you have to work with a couple of equations and variables to calculate movement in two directions. The ball is moving up (later down) which we will label as the "y direction." The ball is also moving out (away from batter) which we will label as the "x direction." The formulas used to solve the problem involve some trigonometric functions [i.e., sine (sin), cosine (cos), and tangent (tan)], but their relationship in this problem and the 45-degree angle simplifies the math. It was assumed that the ball was hit from a 3-foot height. This is important since you have to subtract that height from the height of the outfield fence. Later you will need to add that height back to your answer.

Other than length to the outfield fence and height of the outfield fence, you also have to work with the velocity of the ball (which influences trajectory and time in the air) and gravity. Velocity will have to be calculated, but for gravity (g) we can use the constant 32.2 feet per second. In this case we assumed there is no air resistance. This is a practical assumption for the calculation, but in reality there can be many influences related to airflow. From here on out the answer involves some equations and calculations. If you round your answers, you can have a dramatic influence on the final outcome, so keep the rounding to a minimal.

The diagram gives you some idea how to set the problem up.

The first step is to solve for time (t) to hit the ball 360 feet and clear a 6-foot wall since this is the length the high school wishes the field would play. This will involve solving for time in both the x and y direction.



In the x direction:  $t = \frac{x_f}{v \cos 45^\circ}$ 

In the y direction:  $y_1 = v \sin 45^\circ t - 1/2 gt^2$ 

Substitute t from x direction into the first part of the second equation to get:  $y_r = x_r \tan 45^\circ - 1/2 \ gt^2$ 

Solve for time, 
$$t = \sqrt{\frac{2}{g} (x_r \tan 45^\circ - y_r)}$$
 or  
 $t = \sqrt{\frac{2}{32.2} (360 \tan 45^\circ - 3)} = 4.68$  seconds

We then determine if it takes 4.68 seconds for the ball to go 360 feet, it only takes 4.13 seconds to travel the 317 feet. Using this information, one can go back and solve the third equation used above.

y, = 317 tan 45°-1/2(322.2↔ 4.132) = 42.2 feet, plus 3 feet (initial height difference)


So the top of the fence should = 45 feet 5 inches.

Well, you can see that there is a certain amount of complication in working through this problem since more than one equation is needed. But given the correct equations and a few logical assumptions it can be solved. Who said you would never use what you learned in physics?

Acknowledgement: Thanks to Michael Dukes, Ph.D., PE and L. Ray Hubbard, Jr., PE for assistance with this problem.

**QUESTIONS?** Send them to Grady Miller at the University of Florida, PO Box 110670, Gainesville, FL 32611, or email gmiller@mail.ifas.ufl.edu. Or, send them to Dave Minner at Iowa State University, 106 Horticulture Hall, Ames, IA 50011, or email dminner@iastate.edu.

## Your field's finest hour...



Be Ready.

Multi-Flow is the only drainage system capable of ensuring that your field will always be ready. Ask our technical staff to suggest a system that is best suited to your field.



Varicore Technologies, Inc. • 800-978-8007 • service@varicore.com • www.varicore.com •

Circle 186 on card or www.oners.ims.ca/2915-186