Blitzes, bombs and relentless ground attacks —

You need turf that will never surrender.

Defend sports fields against wear, heat and other enemies

No matter what game is being played, keeping sports turf healthy can be a year-round contest. That's what makes varieties in the Heat Tolerant Bluegrass Series such valuable players. They bounce back from attack through aggressive rhizomatous activity. They take the heat and humidity of the Transition Zone and remain actively growing and green longer than bermuda. Plus, they have the stamina to withstand



Wisconsin's cold winters. Though each has its own unique characteristics, Thermal Blue, Solar Green, Thermal Blue Blaze and Dura Blue also show excellent disease resistance.

For sports fields as stunning as they are rugged, insist on the Scotts[®] Heat Tolerant Bluegrass Series in your blends or mixtures.



For more information call 1-800-268-2379 or visit www.scottsproseed.com.

Fill in 144 on reader service form or visit http://oners.hotims.com/12046-144

Landmark Seed

Keys to good installation

Arnie Plowman, head of technical sales for the Multi-Flow system, says there are four keys to getting a good drainage system installation:

- Choose a product with adequate flow rates.
- 2. Have an adequate system layout design that meets your specific recovery time preferences.
- 3. Get the grading correct for your drain lines.
- Make sure the transport system for carrying water away from the field is designed well so it won't become a bottleneck to your drainage performance.

The Beacon Advantage

It's the reason the 2004 Athens Olympics and Major League Baseball teams trust us.







Fill in 121 on reader service form or visit http://oners.hotims.com/12046-121

Installation

Plowman says his system can be trenched in using a 4-inch width. "Many customers see our system, the flow tubes and the filter and think it will be expensive. But because you can install the system efficiently you can save money," he says.

Installation time is difficult to gauge, says Plowman. "If you bring enough people to the job it can be done in 2 days. It's not rocket science; I've seen it done by volunteers. Most maintenance staffs can handle it, though bidding it out is always an option.

"Our design functions to get rid of water in minutes. We can affordably lay out a system designed to handle 1-inch per hour rainfall events," he says.

Plowman says the life of a drainage system directly relates to its surrounding soil structure and the velocity of water as it moves into the system. Lots of variables play into this but suffice it to say, if your drainage system needs to be replaced, you probably need a new field. "For all the millions of feet of system we've sold we've never heard of an internal clog," he says.

Hydraway system

Jim Surrell, sales manager for Hydraway, says his company's drainage system has a designed trench width of 2 to 4 inches by 12 inches deep (for 6-inch product) and 24 inches deep for 12-inch in vertical installations. If the field is deep tined then the depth will be deeper, he says.

"Traditional pipe only allows 3-5% of water in per foot due to the small size of the openings in the pipe. Our system allows for water penetration of up to 90% of water per foot. Our core design creates an opening of more than 66 square inches per square foot. This is an incredibly fast intake of surface water," Surrell says.

"Our geotextile fabric is designed for high volume of water. We use a 4.5-oz non-woven that resists fines and clogging. The fabric is 'heat fusioned' bonded, not glued to, the core," Surrell says. "This allows for a secure system. The geotextile is approved for most DOT applications. A typical traditional drain system clogs due to the small openings and clay fines that pass through the rocks around the pipe."

The Hydraway 2000 drainage system is made of high-density polyethylene (HDPE) and can exceed its 9200 PSF rating. "HDPE has higher compressive strength than polypropylene and it resists chemicals," says Surrell. "And our core design promotes more water flow.

"We recommend for backfill a 'coarse' sand to be an added filter for clay fines in the soils," he says.

Installation

Is a contractor required to install or can turf managers do it themselves? Surrell says it depends mainly on the application and the amount that needs to be installed. "I have several customers who have the manpower and the equipment to install themselves. For example, the University of Michigan recently installed a few thousand feet with their own crews using a simple 4 x 12-inch trencher," he says. Hydraway has templates that will aid in a successful application depending on the slope and design of the field.



"There are contractors who have special equipment to install Hydraway that will trench a 2-inch trench up to 24 inches (depending on the application), remove the spoils, and install Hydraway in one pass," Surrell says. "Then a second piece of equipment comes behind the first installing the coarse sand via a hopper system. These contractors can install about 3000 lineal feet a day.

"If turf managers are simply removing water in selected areas, they typically will install themselves. If it's a new field install or a complete renovation is when a contractor who has the equipment to install our system is chosen."

Proper planning and selecting the right back fill is key to a successful installation, Surrell says. "I can't emphasize enough that short cuts should not be taken when the back-fill is selected."



Fill in 146 on reader service form or visit http://oners.hotims.com/12046-146

TECHNOLOGY UPDATE: rain sensors

SportsTurf asked Jeff Kremicki, product manager-controllers/sensors, for Hunter Industries to share what's new in the world of rain sensors:



Fill in 147 on reader service form or visit http://oners.hotims.com/12046-147

T: How do rain and moisture sensors work?

Kremicki: Sensors for commercial irrigation systems include rain, freeze, wind, and flow sensors. Each sensor is designed to activate or deactivate automatic irrigation when it reaches a threshold level.

(U) and the

Rain sensors are the simplest and most effective way to prevent sprinklers from coming on during or after precipitation. Our models at Hunter can be easily installed on any automatic irrigation system. They shut the sprinklers off in a storm and keep them off, automatically compensating for the amount of rainfall that has occurred. There are disks inside the rain sensor that absorb water and expand proportionally to the amount of rainfall that fell (e.g. a small cloudburst would result in little absorption, a large thunderstorm would lead to more absorption and expansion). As moistureladen disks expand, they eventually activate a switch that interrupts the circuit from the controller to the solenoid valves. Once they dry, the disks contract and release the switch. Thus the rain sensor resets automatically without affecting your controller.

The Rain-Clik model overcomes an issue inherent with most rain-sensing devices that must first accumulate a set amount of rainfall before a switch is activated that interrupts watering. In that "accumulation time," the system will continue to water, giving the appearance a precious resource is being wasted, which is exactly the opposite impression a turf manager would like to convey. This model can command a controller to shut off immediately, not after a quarter- or a half-inch, but right when it starts to rain.

GRIGG BROS.

"The most advanced fertilizer technology available today for Sports Turf."

ee us at Booth #549 STMA Show

GRICG BROTHERS P.O. BOX 128 - ALBION, IDAHO 83311 For a Distributor Near You Call:

1-888-246-8873 or find us on the web at www.griggbros.com



Granular Fertilizers & Soil Amendments

ST: Is there a certain level of irrigation system turf managers must have to employ these sensors?

Kremicki: You will find these sensors on irrigation controllers ranging from a small residential controller up to a large commercial controller. Many controllers on the market today are designed with sensor terminals that can support one or more sensor inputs.

ST: How can turf managers use this tool to his or her best advantage? Kremicki: Install them! They are really a cost effect way to save water and prevent potential site damage. In addition to rain sensors, flow sensors can prevent significant site damage due to a ruptured pipe or broken sprinkler that is left undetected. These sensors can help identify a break and shut the irrigation off before any damage can occur. Freeze sensors can prevent systems from activating by automatically stopping the flow of water when the outdoor temperature drops to near freezing.

ST: Where's the technology with these sensors headed? What are you developing now?

Kremicki: Irrigation sensors have been around for many years. Their popularity is due to the ease of use and cost effectiveness. We've evolved the sensor product line from sensors that are wired directly to the irriga-

tion controller, which are still in use today, to sensors that send wireless signals to the irrigation controllers from up to 1,000 ft away.

For example, our wireless rain sensor attaches by simply installing the receiver unit next to your irrigation controller, and then installing the transmitter anywhere that the device can receive representative rainfall. No ladders needed to attach to a high outcropping on a building, no messy wires to hide out of view, and the transmitter can be placed out of reach of vandals.

Hunter has also spent a significant amount of time developing and testing new sensors that actively take over the irrigation scheduling of controllers.

The Hunter ET System uses a sensor that gathers weather data on site, and continuously self-adjusts to calculate the ideal program for your field. This type of sensor takes the guesswork out of irrigation scheduling, by using your own state-of-the-art weather station to track your local microclimate and automatically calculate a scientific irrigation program.

Your local Evapotranspiration (ET) factor, the combination of two separate processes whereby water is lost from the soil surface by evaporation and from the plant by transpiration, can be taken into account. Measuring the rate at which water is consumed by weather conditions, the ET System will initiate a new schedule to replenish only the water that is actually needed for your sprinkler system, plants, and soil conditions.

A New Distance-Based Certificate Course from UGA!



Fill in 149 on reader service form or visit http://oners.hotims.com/12046-149

product spotlight



The **Rain Bird RSD** Series rain sensor is an easy to install, durable and visually pleasing device suitable for **24VAC** commercial applications. This product saves water and extends irrigation system life by automatically measuring precipitation and keeping irrigation systems from watering in rainy conditions. Provides the flexibility of multiple rainfall settings with just the twist of a dial.

RainBird

.

For information, fill in 064 on reader service form or see http://www.oners.hotims.com/12046-064

On-site weather station

Weathermatic's SLW15 wireless on-site weather station automatically records and processes weather data 24/7. Features rain and freeze shut-off with extended rain delay. White solar shields allow airflow while protecting sensor from direct sunlight for accurate temp readings.

Weathermatic

For information, fill in 054 on reader service form or see http://www.oners.hotims.com/12046-054

There <u>is</u> a smarter way.

NOT JUST SMART CONTROLLERS, THE SMARTEST CONTROLLERS

Internet Based Central control; *iCentral*[™] combined with the Eagle-i controller provides... Patented Automated Intelligence that maximizes water savings no matter what the weather.

www.rainmaster.com (800) 777-1477





TOOLS & EQUIPMENT

NFL selects winner of Toro Super Bowl Program

hris Fondren, turf student at Mississippi State University in Mississippi State, is winner of the fifth annual Toro Super Bowl Sports Turf Training Program, the company announced. This month, Fondren will travel to Miami to help the grounds crew prepare the game field and practice facilities at Dolphin Stadium for Super Bowl XLI.

The Toro Company and the NFL's Super Bowl grounds team collaborated to offer a program aimed at enhancing the skills of emerging sports turf professionals. They will provide hands-on experience in establishing and maintaining safe playing fields for the highest level of football competition-the Super Bowl.

Fondren seems to be destined for a career in turf management. "The person I am today was molded between the lines of the athletic field," said Fondren. Besides attending classes, Fondren is a member of the grounds crew at Mississippi State University and is passionate about providing beautiful and safe fields for the players. "Sports have created a life for me and I would like to provide a quality playing surface for others to pursue their dreams," added Fondren.

Toro equipment and representatives have been involved in preparing the stadium and practice fields for each Super Bowl event since the inaugural game in 1967.



product spotlight



UTILITY VEHICLES Electric Gator

The electric-powered **Gator TE UV** brings 4-ply high-performance tires for longer wear on hard surfaces while continuing to provide low ground pressure. The units feature operator station with increased foot and passenger room, standard high-back seats, and an optional adjustable driver's seat. Attachments include a power lift, rear hitch, rear receiver hitch, utility carts and trailers, ball hitch, and hitch drawbar.

John Deere For information, fill in 062 on reader service form or see http://www.oners.hotims.com/12046-062

MAINTAIN THE DREAM



The only machine that applies dry lines, wet lines, grooms, conditions, sprays and will cut and paint a line at the same time. Available with 32 attachments.



Stripes athletic & track fields, parking lots and curbs, Battery powered, twin paint nozzles, NO spray cans, CO² bottles or engines.

00-373-033

ww.kromerco.com



An economical pull type groomer for use on, baseball, soccer, football, lacrosse, and rugby fields, Conditions, levels, paints lines, and spray chemicals.

KROMER is your NUMBER ONE choice in Athletic Field Maintenance Equipment

Our Field is Preparing Your Field

ROM

Special Show Pricing ~ Save BIG ~ Call for details Fill in 151 on reader service form or visit http://oners.hotims.com/12046-151

TOOLS & EQUIPMENT

Cub Cadet's New UV

UTILITY VEHICLES New Bobcat UV

These 4 x 4 units have 14.4 cu. ft. cargo boxes and can haul 1,300 lbs. at 25 mph. Choice of 20-hp **Kohler V-Twin** or **Cat diesel** engines. Feature half-shaft drive design and 4wheel hydraulic 8-in. disc brakes and dual-circuit master cylinder. Other models available include 4 x 2 and 6 x 4 units. Many accessories available.

Cub Cadet Commercial For information, fill in 055 on reader service form or see http://www.oners.hotims.com/12046-055



Bobcat's new 2300 4x4 utility vehicle can mow, sweep, and move materials with its **RapidLink** attachment system, which can lift loads up to 500 lbs. as high as 2 ft. The 20-hp unit has the exclusive **IntelliTrak** drive system. Cab provides legroom, storage spaces, cup holders, and a 12-volt power adapter on the dash panel.

Bobcat Company For information, fill in 056 on reader service form or see http://www. oners.hotims.com/12046-056

Get More.

More Qualified. More Proficient. More Competitive.

Enroll in Irrigation Association® Irrigation Courses and Certification Programs:

IA Education

- · Classes for working professionals
- · Real-world, field-tested information
- Ag, Turf/Landscape, Golf and Business

IA Certification Programs

- Nationally recognized programs
- Industry respected credentials
- · Ag, Turf/Landscape and Golf

Get ready to expand your career opportunities with courses and programs designed by irrigation pros for irrigation professionals. Find IA Education course descriptions, Certification program details and updated schedules online at

www.irrigation.org/education

www.irrigation.org/certification



6540 Arlington Boulevard • Falls Church, VA 22042-6638 Tel: +1.703.536.7080 • www.irrigation.org

Fill in 152 on reader service form or visit http://oners.hotims.com/12046-152