

Success Begins With A Strong Foundation



Install The Industry's Leading Sports Turf!

For over 30 years, Delta Bluegrass Company has been providing and installing the industry's highest quality products. Our Tifway 419, 50-50 Blue-Rye, and our exclusively grown Baby Bermuda are ideal for all your sports turf needs. These turfgrass blends and varieties are available, not only on our rich delta peat soil, but are also grown on sand.

FOR MORE INFORMATION CONTACT

Steve Abella (866) 825-4200 or Joe Gardemeyer (209) 993-6555

DELTA BLUEGRASS COMPANY

PRODUCERS AND INSTALLERS OF PREMIUM GROWN SOD

P.O. Box 307 • Stockton, CA 95201 • 800.637.8873 • 209.469.7979 • www.deltabluegrass.com

C-27 752734

Fill in 114 on reader service form or visit <http://oners.hotims.com/14678-114>

sports turf managers of tomorrow.”

Ambition realized

In 1980 the Finnish partner decided to divest itself of the tarp business and Curry made them an offer. Covermaster Inc. was

“Bob is truly one of the kindest, most generous, caring people I have had the privilege of knowing. He has been a backbone of STMA, carrying the organization’s word throughout the world.”

—MIKE SCHILLER, CSFM AND FORMER STMA PRESIDENT

born and his ambition of being his own boss realized. With this change, Curry began to pursue the new market of large field covers, using his knowledge of new materials like polywoven fabric that could be used in wide-width applications. Covermaster was the first company to make covers from this material for sports turf applications, mostly baseball at first; it made the covers at one-third the weight and one-third the cost of old canvas or vinyl tarps. Today 90% of NFL and MLB teams use Covermaster products.

“We reduced the cost to teams because they needed fewer crew members to handle these tarps. Before, minor league clubs would need to bring front office people down to help handle the tarps,” Curry says. “It was a huge factor; now five or six people could roll up the tarps instead of a dozen.”

It took time to infiltrate the market



A portable rolling device for covers marketed by Covermaster.

though; in those days rainouts were just an accepted part of the business, he says, and

when these covers were introduced it was a sizable purchase for most clubs. But word-of-mouth spreads quickly and the referrals started coming.

“Joining the STMA was the best move I ever made,” Curry says. “Attending trade shows and meetings was the greatest source of feedback. I discovered what groundskeepers needed and wanted and what they didn’t want. And spending time in warm Florida during spring training didn’t hurt either!”

“This kind of insight led to our developing a

lightweight plastic roller, for example,” he says. “It was a safety issue mostly; the galvanized steel rollers being used didn’t have end caps and guys were forever cutting their hands.”

David Frey, former Cleveland Stadium groundskeeper and a founding member of STMA, had built a portable rolling device with revolving tires that used a tractor’s PTO system to roll tarps across a field—a one-man operation. Curry visited Frey numerous times and left feeling that a similar machine could be re-designed,

“Bob is a very successful businessman and his expertise has greatly benefited STMA. I don’t know how he has been able to sustain such an active role in organization with his extremely busy schedule, but we greatly appreciate and have benefited from his involvement. I don’t know anyone who deserves the Gill Award more than Bob.”

—KIM HECK, STMA CEO

manufactured affordably and then sold to any level stadium.

“We saw the market potential and asked Dale Getz, then the groundskeeper at Notre Dame, to try one on his baseball field,” Curry recalls. “Dale said it worked well so

we started marketing it for David and we are still selling them. In fact recently Andre Bruce of the Chiefs purchased one, as have numerous other teams.”

Curry thinks every association has to grow to survive. “STMA continues to meet that challenge through Kim Heck and its current leadership,” he says. “The dedication of volunteers, and the entire organization, makes the STMA a real success story.”

Research and development

“The upside of this business is the time we can spend with R&D,” says Curry. “Anyone can make a tarp, there are all kinds available. We’ve had success in product development and new material technolo-

“Having served with Bob on several committees and the SAFE Board, I know he can be counted on to analyze a situation and provide a well thought out solution always, with the STMA and SAFE at the forefront of his decision.”

—DALE GETZ, CSFM, STMA COMMERCIAL VICE PRESIDENT

gies and systems to handle materials more easily.

“We see the chores turf managers face and input from them helps us come up with innovations.”

Curry now is working on an inflatable tarp that can be operated by fewer people. “We’re close now; we’ve been working on this for the past 6-7 years, conducted some trials, but there’s been a lot of going back to the drawing board,” he says.

Another innovation Curry mentions is Armor Kote, a clear-coat surface finish that is undetectable but makes for a much stronger abrasive surface and better seam strength.

“We’re always looking at new things in this industry. Our mandate is ‘What would work better?’” he says. “We face copycat competition and that is what drives our R&D efforts. We want to make more affordable and more lightweight products than anyone else.” ■

GreensGroomer®

WORLDWIDE

THE REPUTATION WAS FORGED FROM A SINGULAR FOCUS AND
EMERGED AS A RELIABLE, HIGH PERFORMANCE PRODUCT FAMILY

2000

Synthetic Sports Turf Groomer & Spring Tine Rake



The Synthetic Sports Turf Groomer and Spring Tine Rake allow fast, efficient, grooming of all infill synthetic sports fields. The Spring Tine Rake, attached to the Groomer, combs the infill, relieving compaction, releasing trapped turf fibers, and assuring a level playing surface.

Design simplicity and functional reliability. They're the guiding principles at GreensGroomer WorldWide. We focus on sensible design considerations that translate into products that work day-in and day-out.


Starting with the original GreensGroomer, we've built a product family that carries a reputation for quality workmanship. From steel fabrication and welding to the fit and finish, each piece we create carries this reputation with reliability.

Our products give you the right performance at the best possible balance of price and value.

2005

A valuable extension to the original Spring Tine Rake, the Rear Brush Attachment provides one-pass finish grooming and is fully adjustable to coincide with the brush wear on the Synthetic Sports Turf Groomer.

Spring Tine Rake Rear Brush Attachment



2008

GreenSpray is a new choice for liquid applications. Its tow-behind design is a lightweight, aluminum unit with a 100 gallon capacity. The high pressure pump is rated at 1500 PSI and is equipped with auto-shutoff.

GreenSpray®

NEW



2008

A simple and effective design. The LitterKat is a debris collector with the right features, including removable, perforated baskets, on-board vibrators for sifting in-fill and handheld controls — all in a lightweight aluminum construction.

LitterKat®

NEW



Fill in 115 on reader service form or visit <http://owners.hotims.com/14678-115>

Copyright © 2008 GreensGroomer WorldWide, Inc. All rights Reserved.

For the dealer nearest you call toll-free 1-888-298-8852 or visit us on the web
www.greensgroomer.com



Gillette Stadium, Foxboro, MA

Managing field surface temperature

By Dr. Deying Li

S

urface temperature has recently been raised as an important issue for artificial turf. With more and more artificial turf installed, sports turf managers are expected to manage an array of new things, including surface temperature.

This article discusses temperature as one of the important quality parameters of sport field surfaces. Results from a study comparing water use and temperature regimes between artificial turf and natural turfgrass indicated that managing soil temperature is more than a safety issue; turfgrass quality and environmental qualities can also be

affected. Very small temperature differences can have big impact on biological reactions and accumulative temperatures.


Natural turfgrasses have many environmental benefits and functional attributes. With proper construction and maintenance, natural grass surfaces can tolerate reasonable use and provide a high quality playing surface for different games. Although the basic surface qualities for sports fields are stability, hardness, traction, and friction, other characteristics should never be overlooked including the ability to regulate temperature and humidity, and the ability of reducing dust and noise levels.




RAZORBACK FOOTBALL STADIUM CHARTS RAPID RESULTS WITH RIVIERA

Pat Berger — University of Arkansas, Arkansas Athletic Dept., Sports Turf Manager Mens Athletics


Due to aesthetic problems with its previous bermudagrass over several seasons, Razorback Stadium's field underwent a renovation — and a fast transformation. After seeding the new field with Riviera, University of Arkansas sports turf manager Pat Berger and his staff documented its grow-in to full coverage in about a month's time!



May 3: Under germination blankets, 5 days after seeding (DAS)



May 10: Germination underway (12 DAS)



May 29: Second mowing and nearly full coverage (31 DAS)

Since then, they've also found Riviera to have better winter hardiness and traffic tolerance than their former major-brand bermuda. Riviera's lush green color measured up to their expectations too. The word from Razorback Stadium: "Make sure to forward this turf tip to others..." So we are.

Across the U.S. and worldwide, sports turf managers are recommending Riviera for its quick grow-in and greenup, top-ranked turf quality, recovery rate, cold and drought tolerance, and more. To get your own success story going, talk with us now.



TOP-RANKED IN
NTEP TRIALS FOR
10 CONSECUTIVE
YEARS*

JOHNSTON SEED COMPANY
The Cold-Tolerant Bermudagrass Experts

800-375-4613

Sometimes artificial turf is preferred to accommodate larger amount of activities and prevent from fast deterioration. The advantages of artificial turf are at the cost of natural turf's environmental benefits. Some believe artificial turf requires no water or chemicals, but rather irrigation is needed for lowering the temperature and sanitation.

Temperatures building on artificial surfaces can become a concern during a warm day when surface temperature gets too high to play on safely. Under such situations, temperature is considered as

factors that affect the energy balance and temperature distribution in rootzones used for sports turf applications. Understanding the patterns of soil temperature regime is helpful in making decisions as to when and how to apply water, fertilizers, and other chemicals. The information also is important in predicting infestations by weeds, diseases, and insect pests. The rational behind this is that plant growth, fate of chemicals, and microbial populations all are temperature dependent. Many turf management practices can affect the temperature and energy regime in the rootzones of turf. Some



Jack Trice Stadium, Iowa State University

one of the very important playing surface qualities. This is a good example that different parameters may dominate the surface playability under different circumstances.

Temperature has always been a very important factor of soil surface, too. Ironically, such is human nature that we tend to forget the most obvious and abundant, and we tend to take for granted the most essentials. The problem exposed due to the shift from natural turf to artificial turf is such an example; and thus, the debate of global temperature changes has spilled over to turfgrass management.

Thermal properties of rootzone media are very important physical

research has been conducted to investigate the effects of air and soil temperature on winter kill of turfgrasses. Topdressing turf with a heavy layer of sand, peat, bed coke, and other materials before winter for winter protection of turf has been successful in many cases. Physiological stress has been investigated on creeping bentgrass, Kentucky bluegrass, and other grasses under supraoptimal temperatures.

Direct heat stress has been reported when the internal crown tissue temperature was greater than 43°C. Until recently, little has been done to compare the temperature regimes of natural and artificial turf surfaces. Very little information is available on

Simple. Rugged. Effective.



*GradeMaster Pro
by LaserLeveling*

The GradeMaster Pro is the first in the Pro Series line of LaserLeveling Grading Systems. This blade is designed specifically for contractors who demand the very best. With half-inch steel construction and LaserLeveling's patented push-pull cutting edge, this system is designed to tackle even the toughest jobsite.

The GradeMaster Pro is manufactured to the highest standards using our unique PILOT hydraulic system giving you proportional valve technology at a fraction of the traditional cost. In addition, the GradeMaster Pro is engineered for use with our laser machine control packages which offer 1/4" accuracy and automated operation. These unique packages feature machine control technology such as the Bullseye 5+ Laser receiver from Apache Laser.

For more information, please call and speak to one of our grading specialists, or visit us on the web at www.laserleveling.com.

*Bullseye 5+ Receiver
by Apache Laser*

LaserLeveling

800.622.5777 www.laserleveling.com

Fill in 117 on reader service form or visit <http://oners.hotims.com/14678-117>

managing rootzone temperatures.

Temperature is a measurement of kinetic energy of molecules in a system. Heat flows along the temperature gradients, from higher temperature to lower temperature. The temperature of an object changes as a result of energy exchange. If it gives up more energy than it receives, it will be cooler; if it receives more energy than it gives up, it will be warmer. Three processes are responsible for heat transfer: conduction, convection, and radiation. Heat conduction is energy transfer from more energetic particles to less energetic particles of a substance due to interactions between the particles. Convection heat transfer is due to collective bulk motion of fluid. And radiation is energy emitted by matter at certain temperature.

Heat flow through soil involves the simultaneous operation of several different mechanisms mentioned above. Conduction is responsible for the flow of heat through the solid matrix, while across the pores conduction, convection, and radiation act in parallel. When soil is moist, latent heat of distillation adds an additional factor involved in heat transfer. This is why heat flow in soil system, therefore the temperature regime in a soil, is very complicated. Nevertheless, soil physicists developed different ways to study and describe soil energy transport and temperature changes.

Soil surface energy exchange causes the fluctuation of surface temperature. Temperature varies most on the surface and the changes damp off until at certain depth, where the temperature remains almost constant. Large temperature amplitude in the cyclical curve is a result of large amount of energy gain or loss. If the energy is not transferred downward (or upward for that matter) when thermal diffusivity is low, then the surface temperature tends to have large variations leading to bigger amplitude. The peaks and valleys of the temperatures in a lower layer will be at certain time behind that in an upper layer.

The lower the thermal diffusivity the longer is such time lag. The daily soil temperature changes, also called diurnal changes follow a similar pattern of annual cyclical temperature changes. We can use the amplitudes and time lags at different soil depths as indicators of soil thermal properties. Knowing that soil temperature regime is affected by thermal properties and that thermal properties are affected by soil types and water content, we can manage soil temperatures accordingly.

Experimental setup

The experiment was conducted in Fargo, ND. The plots were

AXIS® SOIL AMENDMENT PERFORMS BETTER THAN CALCINED CLAY... PERIOD.



TAKE THE
AXIS®
CHALLENGE
WWW.AXISCHALLENGE.COM



Diatomaceous
Earth
Magnified
3000X

- ✓ Use Less Soil Amendment
- ✓ 50X Larger Internal Pore Space
- ✓ Highest Absorption & Release
- ✓ 93% Plant Available Water
- ✓ Lower Cost per Field

Visit EP Minerals on the web to learn
how you can take the AXIS challenge.

EP Minerals™
AN EAGLEPICHER COMPANY

Tel: 800.366.7607

Email: inquiry.minerals@eaglepicher.com
www.epminerals.com

© 2008 EP Minerals, LLC

Performance *Enhanced*

Whether you maintain municipal grounds or professional stadiums, as a sports turf manager the responsibility is the same — establishing and maintaining safe and aesthetically pleasing playing fields — and the *Program* from Scotts Professional Seed has turf grass varieties that will help.

The *Program* system of icons helps you identify bluegrasses, ryegrasses, fescues, and other enhanced varieties that are selected and bred for top performance. Our *Program* varieties stand up to wear and constant use; they tolerate heat, salt, shade, and are resistant to diseases like gray leaf spot and brown patch, to give you outstanding sports turf with fewer costly inputs.

Whether you maintain Little League ball fields or the newest downtown stadium the performance-enhanced *Program* varieties from Scotts Professional Seed will have you looking like a true champion.

To learn more about the *Program*, contact your nearest Scotts Turf-Seed distributor.

Get with the Program.



Scotts
Professional Seed

800-247-6910
www.scottsproseed.com
fax: 503-792-3637

Table 1. Daily surface maximum temperature and amplitude affected by turf type in the summer and fall of 2007.

Turf Type	Jun		July		Aug		Sept		Oct	
	Max	Amp	Max	Amp	Max	Amp	Max	Amp	Max	Amp
	°C									
KB	45.1	42.9	50.4	42.7	44.1	40.5	37.8	41.8	28.1	33.4
KB +FF	44.0	42.4	47.4	39.6	43.1	42.0	35.2	38.8	28.7	35.9
TF	40.9	37.2	41.1	30.0	38.6	37.1	39.0	42.0	28.4	35.0
FG Infill	54.8	50.6	52.2	43.0	50.0	44.8	46.4	46.5	34.5	39.4
Range	58.5	57.6	57.9	49.7	54.7	51.4	51.8	54.9	36.6	45.5

1.5 m by 2 m; rootzone is 30-cm mason sand on pea gravel with 10-cm diameter drain tiles connected to a lysimeter in each plot. Thermocouple sensors at 0, 2.5, and 15 cm depths were installed in

each plot. Soil moisture probes at 2.5 and 15 cm depth were installed in each plot. The treatment/materials are repeated three times in a randomized complete block design.


Three natural sports turf species mixtures were Kentucky bluegrass, Kentucky bluegrass/fine fescue, and rhizomatous tall fescue (Glenn Rehbein Turf). Forever Green with rubber crumb infill (ForeverGreen Athletic Fields) was one artificial sample, and Range turf (Synthetic Turf International) the other. All plots were sodded August 15, 2006.

Artificial turf clearly showed higher surface temperatures and longer durations of high temperatures compared with natural turf during the first growing season in 2007. Artificial turfs also showed larger fluctuation demonstrated by the higher amplitudes. As discussed above, the higher surface temperatures and larger amplitudes of artificial turfs were due to the lower thermal diffusivities of such materials. The time lags between the peak temperatures of surfaces and 15 cm depth in the rootzones also indicated that artificial turfs had slower energy exchanges between surface and sub surface than that of natural turfgrass. The results shown here are for the hottest month of July when grasses were established for only three months. As natural grasses grew more mature surface temperature extremes further decreased (data not shown).




During the experiment, the moisture levels of artificial turfs at 15-cm depth were either about the same or higher than that of the natural turfgrasses indicating that the lower thermal diffusivity at top 5-cm layer is more important for the heat dissipation. Since this layer of artificial turf tends to be more hydrophobic, more frequent watering maybe needed to maintain lower surface temperature because wetter soil has higher thermal diffusivity and larger heat capacity.

Soil properties as well as other environmental conditions can have great impact on surface temperatures. As little as

WORLD CLASS FIELDS




NEED WORLD CLASS PRODUCTS

Aerosol Paints • Bulk Paints • Custom Stencils

1988



20th Anniversary

2008

www.worldclasspaints.com • 1-800-748-9649

Fill in 130 on reader service form or visit <http://oners.hotims.com/14678-130>