

Grigg Brothers

Proven Foliar™

*Improving
Sports Turf Playability
for 15 years.*

Thank You

Find out more at the STMA Show Booth #426

Representing Over 40 Years of Amino Acid Based Fertilizer Technology!™

P.O. BOX 128 • ALBION, IDAHO 83311

For a Distributor Near You Call:

1-888-246-8873

or find us on the web at www.griggbros.com



**Green
Spec™**
Granular Fertilizers & Soil Amendments

wrath and disposing of the ruined sod, he went to work preparing the two practice fields for the new TifSport. "We had 18-inch crowns out here in the center of both fields, and we knocked them down and brought in 9 inches of sand for our rootzone mix. We sodded directly on top of that. We also put in new underground irrigation. Now we have Hunter heads at 50-foot intervals all the way down both sides of both fields. We're on city water, so the water quality is pretty much neutral. No problems there."

They sodded field #1 in late July, followed by field #2 exactly 2 weeks later. So Chris kept the players off of field #2 for 2 weeks longer than field #1. According to Morrow, "The TifSport on field #1 was only down for 27 days before we had our first practice on it. And that was the first week of the regular season. Thank goodness we had such great service from King Ranch, and Gene and the boys. We also wanted a grass grown on a sand base, because that's what we have here. The TifSport went down really fast. We were installing 42-inch big rolls, which we center-cut so they would go down easier and be easier to move around."

Chris comes from a turfgrass background. He graduated from North Carolina State in 1995 with a degree in turfgrass management. In the spring of the following year, he was hired by the Carolina Panthers to be on their outside landscaping crew. After about a year he moved inside. His new responsibilities included taking care of the practice fields and helping maintain the game field. Chris adds, "I was basically doing the same thing for the Panthers that I'm doing here. I mow, fertilize and paint. And any cultural practices are my responsibility. I also take care of the landscaping surrounding the fields." The Cowboys hired Chris in 2002, and he's been with them ever since. Morrow's young but impressive career already includes an STMA 2004 "Field of the Year" award.

Chris admits he's got a lot to learn about TifSport. "Before I decided on TifSport, I went to the website and looked at a lot of the information there. I also talked to Terry Porch, who has TifSport on the Tennessee Titans practice fields. I knew Terry from my Carolina Panther days. We worked together for a couple of years in Charlotte before he took the Titans job. Terry was one of the very first sports turf managers on the professional level to have TifSport. And I talked

to Don Follett when he was with the Redskins. He had good success with his." Follett is with the Baltimore Ravens now.

"I've been working with 419 for about 12 years now, so this is new to me, but I'm a pretty quick learner. Kevin Robinson has TifSport on his field at Keenan Stadium in Chapel Hill, and I know that Kris Harris had it when he was at Georgia Tech. I need to call them and pick their brains a little bit."

Chris is anxious to see how low he can take his new grass. "When my TifSport was still at the farm in Poteet, I got them to take the height of cut down to 1/2 inch, and I'm down to 7/16 inch here now. I'd like to go lower, but there's no way I can do that right now. I routinely used to cut 419 at 5/16, so I know I can get lower than that with TifSport. I watch Georgia Tech play whenever they're on TV and I love seeing that TifSport field on the screen. I know that in a year or two, I can have my fields looking like that. That's what I'm after."


TifSport has a finer blade than 419, and a darker green color. Morrow has also noticed that the stolons don't seem to move as fast as 419, "When this grass gets sheared, it grows back into the divot very quickly. It grows more from the bottom up rather than laterally, at least right now."

"I'm still debating about whether to overseed or not. Normally I would overseed if it were 419, but with this being new sod, I don't know how much competition I want next spring. So I may just not overseed, or I may overseed very lightly. I don't have any experience with how TifSport will handle overseeding. That's one of the things I'm going to have to learn. I do know that when Kris Harris was at Georgia Tech he overseeded his TifSport very heavily, and he started early. Jon DeWitt, who's managing the fields at Tech now, does the same thing. But I want a quick green-up next spring, and I don't want much competition."

"I'm also hoping that I can get a little further into the season before I start to see a decline in my TifSport's growth. I've heard it will go a little longer than 419. I'm going to keep up my fertilization program for as long as I can, for as long as it keeps growing and staying green."



» Above: **A ONE-MAN ARMY,** Chris Morrow is responsible for mowing, painting and fertilizing both Dallas Cowboys practice fields.



CHRIS MORROW.

When Chris was in the grow-in mode, he was pouring the coals to his new TifSport. "I was feeding it constantly. Now I'm starting to change gears into the maintenance mode. I still hit it with a foliar every 7 to 14 days. And I hit it with a granular in between to keep the color up and keep it growing. Right now I need as much growth as I can get on the top and bottom. Like I said, it's only been down 6 to 8 weeks, so I'll be paying close attention to see if I can figure out what it likes and dislikes. I'm excited about it though. It's a new frontier for me."

Chris mows his fields 6 days a week. "I give them the day off on Sunday, because Sunday is my day off too. But next year is when the real fun begins, because that's when I get to start aerifying it and topdressing it more. That's when I get to start putting my own fingerprint on it. That's when I'll find out if I can get my field mowed down shorter than Georgia Tech's."

"Even though this is a very young turf, the coaches and players like it a lot! There's better footing because of that healthy mat underneath. That's a lot easier on the players and their joints."

Dallas Cowboys head coach Wade Phillips likes to be outside, so the Cowboys practice outside regardless of whether they're going to be playing on real or artificial turf. "Phillips prefers grass, and I know the players like natural grass."

On a typical Monday after the Cowboys play on Sunday, which they do 98% of the time, the players come in and do film study, then head to the weight room. The strength coach comes out at about 3:15 and runs them for about 20 to 30 minutes. Tuesday is the player's day off. Wednesday is when practice really starts. They normally come out at 11 AM for a walk through, and then they're back out again at 1:00 for a full practice. This routine is duplicated on Thursday.

Friday is a little easier day. They're out on the field by 11:00 but don't have a walkthrough. Friday is normally about an hour and a half practice. On Wednesday and Thursday they go hard for about 2 to 2-1/2 hours. Saturday is a walk-through-only day, and that takes about 45 minutes. So the players are on the fields at least 4 days every week. Chris has his own routine for keeping the fields' wear and tear in check, "We try to rotate the players as much as possible to keep the wear down. For example, "If we're on the southeast corner of field #1 in the morning, we'll move to the northeast corner in the afternoon. The same holds true for field #2."

"Actually we use both fields during every practice, but we spread the players out. We only film on one field during any given practice though, and that's where we get our most severe wear. That's where the seven on seven and team drills are conducted. Again, we try to spread things out over both fields to keep the wear and tear to a minimum."

Except for the cheerleaders. "Right now the cheerleaders are using field # 1. And they're worse than the players. I can get the players to move around, but the cheerleaders won't move. They do their little spins and turns right in the same exact spot. Over and over. Cheerleaders can actually inflict more damage on the grass than the players. You wouldn't think that a 90-pound girl could hurt a football field, but she can! But who cares? ■

The game is on. Is your field protected?



EnkamatPlus®

*Field protection for games, concerts,
and other social events.*

- New 8' wide rolls
- Won't crush or suffocate grass
- Reusable season after season
- Rolls out and up easily
- Affordable solution for field protection
- Smooth and comfortable walking surface
- Multi-use for many sports
- No special equipment needed for installation

COLBOND

**800-365-7391
x 5016**



CITI FIELD, the new stadium of the New York Mets in Flushing Meadows–Corona Park, Queens, saw a lot of disappointments last season but the playing surface was not among them. The \$850 million replacement for Shea Stadium was funded by the sale of New York City municipal bonds which are to be repaid by the Mets plus interest.

The park opened March 29, 2009, with a college baseball game between St. John's Red Storm and the Georgetown Hoyas. The Mets played their first two games at the ballpark on April 3 and April 4 against the Boston Red Sox as charity exhibition games and the first regular season home game was played on April 13 against the San Diego; the Padres' Jody Gerut christened the park with a leadoff homerun.

We asked Bill Deacon, manager, field operations, for the Mets for his assessment of how the first year went for his turf.

SportsTurf: Overall, how did your turf play and wear in its first season?

Deacon: The turf performed very well, we had all the usual wear areas with the one difference between Citi Field and Shea is the amount of shade we have here. The turf behind homeplate where we have the most shade was weaker than I would have liked, by the time the sod was installed in November it was in the shade until late March and we did not have the root growth there that we had on the rest of the field.

ST: What if any unexpected problems/situations came up during the season? How did you handle them?

Deacon: The only problems we had this year were things we could not control, too much rain and covering the turf for 9-10 days for three concerts, the longest period of time I have covered a field for. With the amount of rain this year we had to cover the infield with the tarp much more often than I would have liked, but a positive of all this was that we did discover that we could inflate our tarp while it was covering the infield using our SubAir unit. By

doing this the tarp sat about 6-10 inches off the ground and allowed air movement underneath. As for the concerts we survived with minimal sodding, it seemed to be the only time all year that the weather cooperated with us.

ST: How closely did you follow the maintenance plan you had set up before the season? What changes are you considering making for 2010 season?

Deacon: What I do is set up a plan based on our team schedule and then alter it as our off days change. This year we had three breaks of 10 days or more that we planned to use for aerification, topdressing and sodding; we lost two of those to outside events so we ended up with just one long break all season to actually pull cores. We altered the plan by solid tinning and very light topdressing on 7-day breaks. The only major change we plan on making is pulling cores more often but again that will depend on the schedule of outside events.

ST: How did systems perform? Is there any technology that having a brand new stadium made possible that most guys don't have? If so, how did they do? Any other new equipment, etc., coming for 2010?

Deacon: The systems all performed well, the irrigation we tweaked slightly moving a few heads and changing nozzles, really just regular maintenance and the drainage here is very good. The two new items technology-wise for us moving in here are the forced air system, SubAir, and the Toro TurfGuard Wireless Sensors. They both performed very well, with the SubAir we were able to blow hot air through the drainage and kick start the turf so that we were actively growing when we played our first game on March 31, whereas in the past the grass would be green but we would struggle through the first 2 weeks of April if the weather was bad and would potentially have worn out areas after the first month of the season.

The SubAir also allowed us to have some kind of air movement under the Terraplas while the field was covered during our concerts. It is a tool that we found we used a lot and helped us out a lot. The

TurfGuard Sensors monitor soil temps, salinity and moisture, they also became something that I checked everyday and found very helpful, numerous times through the year I checked them for moisture and decided against turning the irrigation on, letting it go for one more day. They don't replace actually walking the field and pulling plugs to check moisture but are a very helpful tool.

We do not have anything new planned for 2010, I just plan on improving what we have with what is in place. The other huge item for us moving into the new building was that we installed infield mix that we had made to our desired specifications, I worked with Grant McKnight of Natural Sand and we came up with a mix that is roughly 54% sand, 26% clay and 20% silt, the mix performed really well and we received rave reviews from Mets players, coaches as well as many visiting players and

coaches. We could spend pages talking about the infield mix but it held together really well, took water really well and overall allowed us to have more events on the fields without sacrificing playability.

ST: Do you have any recommendations for the next groundskeeper with brand new, expensive field?

Deacon: The advice that I would give is to stick to your guns, there are a few things that I thought would be better if they were done a different way and after a year in the new building am still of that belief. Talk to other people in our industry and other industries and try different things out, if you want to try a new mound clay put it in one bullpen, build little test plots to see how different infield materials perform etc. Overall I am very happy with all the new technology that we were able to use and will keep exploring looking for new ideas. ■

Drainage system *flexibility* needed at Citi Field

Editor's note: This section was supplied by Steve Cooper of SCA Communications, steve@scacommunications.com

The playing field at the New York Mets' Citi Field is state-of-the-art and actually floats. Because of the flexibility of the field, the drainage system needed to be designed so that it would move with the field. For this reason high-density polyeth-

ylene (HDPE) pipe (Advanced Drainage Systems, Columbus, OH) was selected due to its ability to flex and maintain joints. Sections of the pipe are perforated to allow water from the field to enter and to be drained.

Built on reclaimed marsh land at Willets Point just south of LaGuardia Airport, the stadium is on piles imbedded into the bedrock. The field, however, was designed to be independent of the open-air stadium to accommodate future, if any, settling.

TAKE THE CHALLENGE

WORLD CLASS
athleticsurfaces

Premium Field Marking Paint

FROM THIS...




...YOU CAN GET THESE.



www.worldclasspaints.com • 1-800-748-9649

The Beacon Advantage

It's the reason the 2004 **Athens Olympics** and **Major League Baseball** teams trust us.



And, it's why you can, too.

BEACON ATHLETICS

FIELD MAINTENANCE & TRAINING EQUIPMENT
800-747-5985 www.BeaconAthletics.com



Underneath the field is a network of HDPE pipe that enables Bill Deacon, head groundskeeper, to create a vacuum to remove standing water or force cool or warm air into the root system of the natural grass.

The pipe pattern is set up like an underground tree. A 30-inch diameter pipe runs under the field from behind home plate to the warning track. This 430-foot run of ADS N-12 WT pipe has watertight bell and spigot connections between sections. Connected to this trunk line are six-inch diameter lateral branches, 42 lines on each side, 10 feet apart. The HDPE pipe is perforated on the top to allow water to infiltrate and will also provide a means for air exchange in the turf.

Installation of the field, drainage system and turf was done by the LandTek Group, Amityville, NY with John Sulinski heading the project. LandTek was responsible for all of the field construction including the drainage system, the subgrade for the field, laser grading clay, sod and the warning track.

"The goal was twofold," Sulinski said. "First was to effectively drain the field, and the second was to aid in the growth and integrity of the natural grass turf. The system can blow warm air up through the root system of the grass. This three to four degree boost actually can help green the turf and is a key part of starting the grass to grow in the early spring in the northeast."

Sulinski and his 15-man crew started as soon as the foundation for the field was ready. Installing the 30-inch diameter trunk line first, a trench was dug to five

feet deep and 22 sections of the corrugated pipe were put together.

"Connection of the 42 lateral lines was very unique because the custom-made saddle tee's had to set into each of the 30-inch diameter pipe sections. It took about 20 days to do the installation," Sulinski said.

Each run of the perforated lateral line pipe is surrounded in an envelope of a bluestone product with 4 inches of that stone across the entire subgrade. On top of that stone is roughly 10 inches of root stone, which is a sand mix, followed by the sod.

An ADS 4-ounce woven geotextile fabric lines the trench. This fabric lays on the subgrade, drops down to the bottom of the trench, comes back up the wall and lays on the subgrade on the other side of the trench. Consistent throughout the field, the trenches are on 10 foot centers. "We don't believe in wrapping the fabric around the pipe itself," Sulinski said. "The fines on the stone would clog the geotextile on top in no time, especially with the water movement that you have through the profile."

To solve this problem, LandTek used a natural soil bridging criteria for the fabric that allows for rapid water filtration.

"We use this method all the time in natural grass construction," he said. "We measure the size of the particles and their cohesive properties. So for example, the sand we put on top had to have a bridging criteria greater than the stone on the bottom. This means the sand mix would stay fully suspended on top of the stone, which would not allow the fines to

migrate through the stone and into the pipe, a very critical aspect of the job. If the components of the bridging criteria weren't formulated in the proper ratio or particle size, what you'd have, obviously, is settlement over time, cause you'd wash the fines through the stone product into the perforations on the pipe and out, exiting the stadium."

Citi Field is built on piles and the field is designed to "float" within the stadium. The area was a swamp called the Meadows and filled in with ash. It still has a very high water table.

"So when they built Citi Field they had to come up with a design that would enable the field to float independently of the structure," Sulinski said. "Naturally, the design for any drainage system is at a predetermined elevation with a percentage of slope. But here, the field is designed to move. Therefore, the drainage system underneath also has to be able to move in order to maintain that gradient for the water to travel."

"We had to come up with some very key fittings that were designed and custom made from corrugated HDPE pipe to a cast iron fitting that would be strong enough to hold the cast iron double ball joint. There was a lot of engineering work to come up with a fitting that would actually work."

"That pipe was hung from the structure itself, so it is supported by the structure on piles," Sulinski continued. "We connected to the HDPE pipe with the ductile iron FLEX-TEND joint. This allowed us to pull the double joints to the highest position. So if the field settled, in theory, it will set-



tle uniformly and still provide positive drainage because the fitting was set at its highest point. If the fitting dropped there would still be positive drainage. It's a very unique system." The hypothetical rate of drop predicted is 6-7 inches in 10 years.

"When we put the pipe in we used a laser-guided trenching machine to trench through this lightweight concrete fill," he explained.

"It's automated with a computer on board that we could dial in percentages, so it automatically pitched the trench from the

warning track to our 30-inch collector pipe. Everything was pitched towards the collector pipe, which runs into a large manhole. And that manhole has another 30 inch pipe coming off it which is called an "air line" for the SubAir system inside the stadium. Not only can they pull a vacuum to draw the water through the rootzone and the stone and into the pipe, they can actually introduce cool air as well as heated air through the pipe network that comes out through the perforations on the 6-inch diameter lines. This will uniformly warm the gravel layer, acting as radiant heat to warm the root zone so that you can warm the grass plant itself and start to mature the grass plant in February. It's amazing."

"Remember there are days in spring, when they start playing, when temperatures are chilly and also go from relatively warm to cold. So you're going to need that little last step to jump start it." "People forget that when you build these fields, they are 90 percent sand," Sulinski said. "So it does drain, but with that added vacuum mode, if there is 2-3 inches of rain, and you have a game that night, the system can actually help pre-dry the field."

"And when you play on a dry field the chances of disturbing the turf and destroying the root system are reduced. You can't ever prevent it, but you can make it better. That's what this drainage system is designed to do." ■



TEMP-LINE ULTRA-CONCENTRATED GRASS PAINT

ECO TEMPLINE GRASS IS A POWDER/PASTE CONCENTRATE. JUST ADD WATER FOR 10 GALLONS OF HIGH QUALITY NATURAL GRASS FIELD PAINT!

STOP THROWING AWAY HUNDREDS OF PLASTIC PAILS!

SAVE YOUR STORAGE SPACE!

ENVIRONMENTALLY RESPONSIBLE! A PALLET OF GRASS PAINT USES ONLY A FEW POUNDS OF PLASTIC. ONE PAIL CAN BE RE-USED OVER AND OVER TO MIX AND STORE NEEDED PAINT!




www.Eco-Templine.com

1-800-677-7930



**Listen carefully, and you can hear the sound
of other turf grasses getting the boot.**



Visit Us At
Booth 601

◀ *Kirkwood Soccer Club*
New Castle, Delaware

Seems it's caused quite a stir. The area's first Riviera bermudagrass field turned skeptics into fans. Quickly led to more Riviera installations. Became the preferred field of members, teams and leagues. Plays like artificial at a fraction of the cost. And for recovery rate, it's leaving other turf grasses in the dust. Riviera. It rewards like no other.

"Club members and teams prefer our Riviera fields. They're reliably lush and durable during high demand. We recently installed a second one, and our third is scheduled for Summer 2010."

Joe Mills

Kirkwood Soccer Club
New Castle, Delaware



JOHNSTON SEED COMPANY
800 - 375 - 4613

Rescuing

a high school multi-use field

“HOW CAN YOU MAKE THE FIELD ‘GREENER’?” That was the question I was asked when I first came to the Norwood School in Bethesda, MD about their four bermuda-based multi-use athletic fields. The challenge for me was not if we could make them look “greener,” but convincing my superiors (who had no sports turf knowledge) that what was important was that they were safe for the many players who use them.

There was always grasses transitioning in and out, which prompted the question of “How can we make it all one color green?”