



# Nutrient management planning for sports fields

By Don Savard, CSFM, CGM

**N**utrient management planning for sports turf is both an art and a science. More than just a fertility program, it is a site specific management tool. Nutrient management planning integrates the use of plant nutrients and cultural practices necessary to achieve optimum turf health. The amount, form, placement, and timing of nutrients and soil amendments make up the nutritional plan.

Cultural management practices such as mowing, irrigation, aeration, and turfgrass selection enhance its efficacy. It is appropriate for all sports turf uses. Whether you are growing cool or warm season turf grass on native, sand based or modified soil, nutrient management planning permits efficient sports field management and protects water quality from nutrient pollution.

In many areas, Nutrient Management Planning came about as result of excess levels of nitrogen and phosphorus in our surface and ground water resources. Many states, provinces, and local governments now have laws or programs regulating the sources and amounts of nutrients contributing to nonpoint source pollution of our water resources. The overall goal of many of these programs is to

protect and improve water quality by promoting the efficient yet responsible use of fertilizers and soil amendments. Also, an effective nutrient management plan adds value through better results and cost savings.

## Fate of nutrients

Whenever fertilizer and water are applied to a sports field, there is the potential for some nutrient loss to occur. To illustrate this process, here is a simple explanation: Precipitation from rain (or from a sprinkler head) is absorbed by the soil to become ground water or runs off to a body of water, such as a river or ocean. Water is returned to the atmosphere (by evaporation or through transpiration through the turf), condenses and returns to earth as precipitation.

What happens to the nutrients in the environment? Nutrients go into solution with the water. Some of the nutrients are used by the plant or stored in the soil for future use. Unfortunately, some of the nutrients may be lost through leaching into the ground water or by surface runoff, erosion (A dense stand of turfgrass can limit nutrient runoff). Nitrogen can even be volatilized directly into the atmosphere. One of the goals of nutrient manage-

ment planning is to minimize nutrient loss.

Nitrogen, phosphorus, and potassium are referred to as macronutrients because they are used by plants in large quantities. (Micro-nutrients are elements that are essential for plant health, but used in very small quantities.) Of the three macronutrients, nitrogen is the most unstable, meaning that it can change its form easily. That is why nitrogen is not usually measured on a common soil test. Phosphorus binds with the mineral compounds and the clay fraction in many soils and is less mobile than nitrogen. Both nutrients can cause contamination when moved away from their target by erosion or leaching and become concentrated in a body of water. Potassium is the least mobile, meaning that once applied to the soil, it stays in place. Rarely does potassium contamination cause environmental problems in surface or groundwater.

## Getting started

A documented nutrient management plan is best. Start with accurate area measurements because a nutrient management plan is dependent upon some amount of material needed per unit of area. Obtain a site map showing the locations of all surface waters

*Continued on page 11*



such as drainage ditches, streams, and ponds and indicate topographic features such as steep grades, hills, and low areas. Because water moves downhill, this information will help you understand where the water and nutrients will likely end up. Include on this map all pertinent soil texture information.

Identify the species of turfgrass growing in the turf stand. If you know the types of turfgrass in your field, and understand its requirements, your nutrient management plan will have a better chance for success. Information about the nutrient requirements for your specific turfgrass is available through your local cooperative extension service. Be sure to document the health and conditions of your turf stand because this information will help you evaluate the effectiveness of your plan.

Soil sampling and testing is the next step in this process. A basic chemical soil test can quantify the levels of available phosphorus, potassium, and micronutrients. The chemical test will also determine the soil pH, cation exchange capacity and base cation saturation. This information provides insight into how efficiently your soil stores and makes available nutrients that the turf needs.

All of the information is critical for calculating what soil amendments and nutrients are needed (if any) as well as the amounts. Often the soil lab will make lime and fertilizer recommendations including rates and timing based on the information that you provide them when you request the test.

A separate test for soluble salts can indicate if excess fertilizer or potentially damaging levels of salts are present in the soil. This is helpful for selecting appropriate treatments using soil amendments to move the excess levels out of the root zone. Other tests include testing your irrigation water to check pH and detect the presence of soluble salts, bicarbonates and minerals. Plant tissue testing is another way of measuring nutrient levels within the plant. Tissue tests will help you spot excess or deficient nutrient levels in the soil.

Testing for soil physical properties including percentages of sand, silt, clay as well as percent of organic matter can be useful to assist in determining how well the soil will hold on to nutrients. Sandy soils that drain well often do not hold moisture or nutrients very long. Soils with higher percentages of clay and organic matter have more moisture and nutrient holding capacity. Use this information to indicate where the different soil textures are on your soil map. Your soil-testing laboratory will instruct you in how you should take samples, the number of samples to take per acre as well as the depth at which you should take them.

### Customizing your plan

Once you have collected and documented the information on what you have and what you need, you are ready to customize your site-specific nutrient management plan. For example, a low maintenance ballfield in a

schoolyard will have a much different plan than a professional stadium field. This is where nutrient management becomes an art.

Consider the nutrient tools available. As sports field managers, we are fortunate to have a wide variety of fertilizer options depending upon our management needs. Simply put, fertilizers can be grouped into two categories: quick release and controlled or slow release. This distinction is important because it relates to plant response and longevity in the rootzone. Each category may be derived from natural sources or synthetic processes. Quick release and slow release fertilizers commonly refer to the nitrogen source used, although it can also include phosphorus and potassium sources.

Quick release fertilizers are water soluble, inexpensive per pound and provide rapid plant response. Because of their solubility, they tend to leach out of the root zone easily and can cause foliar burn. These materials can provide desirable results when used at low rates with frequent applications. By combining these fertilizer components together in different proportions it is possible to create a variety of complete water soluble fertilizer formulations.

Controlled release fertilizers include products formulated for slow release nitrogen characteristics. The release rates vary between the different products. Controlled release fertilizers usually cost more per pound for the nutrient. The turf response, color, and growth are slower than water-soluble fertilizer. The advantage is that more material can be







applied with less foliar burn, so fewer applications are needed. Common examples of controlled release sources include: coated fertilizers, where the particles are coated in a permeable “jacket” and the nutrients diffuse out of the “jacket” at a controlled rate.

Natural organic products derived from animal and vegetable byproducts are low in nutrients, but can be applied in large volume with very low risk of foliar burn. Synthetic organics such as

Isobutyraldehyde Diurea (IBDU 31-0-0) and Urea Formaldehyde (UF 38-0-0) and Methylene Ureas are widely used and all are a source of slow release nitrogen. The release rates of all of these materials are dependent upon fertilizer particle size, temperature, moisture and soil microbial activity.

For many sports field managers, cost seems to be the limiting factor when choosing a nutrient source. By understanding the costs involved with making a fertilizer application, as well the longevity of the nutrients in the soil after the application, products with a higher cost per pound may be a better value and deliver more consistent results.

Regardless of the nutrient sources you select, good cultural management implements your nutrient management plan. For example, turfgrass needs water for growth, good health, and vigor. Irrigation management complements your nutrient management plan. Begin by conducting an irrigation audit and inspection of your irrigation system to determine how well it functions. The audit will show you how uniform the water is being distributed so that you can make repairs or improvements. The process includes measuring how much water volume is being supplied by the system in a given period of time.

The audit will also help you schedule water usage by calculating how much water your soil can hold, the amount of water the turf needs, and how much is lost through evapotranspiration. To avoid leaching, puddles and runoff, make sure that the amount of irrigation being delivered is less than the rate at which water infiltrates and percolates through the soil.

The soil texture of your field figures prominently in your plan particularly in relationship to your irrigation methods. For example, sandy soils receiving frequent irrigation might be prone to nitrates leaching past the rootzone. In another example, heavier textured soils such as a silt or clay loam could erode during a thunderstorm losing phosphorus bound to the soil particles.

The idea is to keep the nutrients where we want them so they can be used efficiently by the turf, and not lose them in the groundwater, streams and ocean. Whether you have an irrigation system or rely solely on rainfall, the form and frequency of your nutrient applications has an impact on the effectiveness of your nutrient management plan.

Aeration enhances nutrient management by increasing the amount of pore space in the rootzone for air and water. This process increases

## THE GAME MUST GO ON.

An Airfield is the ultimate sports turf drainage system whether you are playing on natural or artificial turf.



### Artificial Turf Benefits:

- Drains remarkably faster
- Reduces installation time
- Reduces G-Max
- Eliminates rubber migration
- Eliminates standing water
- Strong enough for vehicles
- Below entire playing surface
- Air void for heating and cooling
- Allows flushing and sanitizing
- Maintains level playing surface

### Natural Turf Benefits:

- Drains remarkably faster
- Reduces installation time
- Reduces irrigation requirements
- Extends playing season
- Eliminates standing water
- Reduces maintenance costs
- Below entire playing surface
- Superior perched water table
- Greater root mass
- Gas circulation through soil



405.359.3775  
airfieldsystems.com

Fill in 128 on reader service form or visit <http://oners.hotims.com/13971-128>

*Continued on page 14*



water infiltration into the soil and helps reduce runoff. Aeration facilitates root uptake by the turf and creates a more habitable environment for the soil organisms.

Cool and warm season turfgrasses each have periods of growth and dormancy. Plan your nutrient program around the nutritional requirements of your turf stand and optimum growth periods for your particular species. A cool season turfgrass best management practice is to overseed with improved cultivars. You can select cultivars with genetic characteristics such as darker color and better disease resistance that require fewer nutrient inputs and add biodiversity to your turf stand. Lists of improved cultivars suitable for your geographic area are available from the National Turfgrass Evaluation Program (NTEP) on the web at [www.ntep.org](http://www.ntep.org).

Mowing is the most common cultural practice that occurs on sports fields at all levels. Follow the best management practices for

mowing with sharp blades at an acceptable mowing height that is specific for the turf species, following the 1/3 mowing height rule. The question of whether or not you will leave clippings will factor into your nutrient management program, as the clippings when left return a residual amount of nitrogen, phosphorus and potassium to the soil to be broken down by microorganisms and used by the turf.

Nutrient management is about good stewardship and working smarter. When our mission is to produce safe, playable, and attractive sports fields, it helps to deliver great results. It is good for us individually and as an industry to do our part to help our environment become healthier through careful planning and responsible actions. ■

*Don Savard, CSFM, CGM is also a Delaware Certified Nutrient Consultant and manages the athletic facilities and grounds at the Salesianum School in Wilmington.*

## Common quick release water soluble fertilizers

Urea	45-0-0
Ammonium nitrate	34-0-0
Ammonium sulfate	18-0-0
Monoammonium phosphate	12-61-0
Diammonium phosphate	18-46-0
Superphosphate	0-20-0
Triple superphosphate	0-48-0
Muriate of potash	0-0-60
Sulfate of potash	0-0-50

## John Mascaro's Photo Quiz

# Can you identify this sports turf problem?



**Problem:** Brown spots on soccer field

**Turfgrass Area:** Soccer Field

**Location:** South Portland, Maine

**Grass Variety:** Kentucky Bluegrass



**Answer to  
John Mascaro's Photo  
Quiz on Page 51**

*John Mascaro is President  
of Turf-Tec International*