Maintenance Shops: Get Organized This Winter

By Holly Gibson



How you set up your shop not only makes you more efficient, but also reflects what you expect from your employees.

A sturdy, spacious workbench is a must for the mechanic's work station.

A s a golf course superintendent or sports turf manager, you might spend as much as one third of each work day based out of your maintenance building. How you set up your shop not only makes you more efficient, but also reflects what you expect from your employees.

If your shop is clean and well-organized, your employees will know they are expected to perform in the same way. If equipment and supplies are placed haphazardly, employees will be more likely to approach their jobs in the same manner.

Fortunate superintendents have new facilities that they helped design. However, most have old buildings, often affectionately called "the barn" or the "maintenance shed." It is difficult to imagine a "shed" as a clean, high-tech modern facility. However, that is what it should be.

As operations slow for the winter, the off months are the perfect time to put full-time employees to work reorganiz-



A well-designed fertilizer storage area. Fertilizer is kept off the floor and forklift access is easy.

ing the maintenance building. Certain changes can be accomplished with some sweat, plywood, and paint while other improvements will demand more money and time. If you can't accomplish everything at once, rank the items and make a multi-year plan. Add your plan to your maintenance budget along with justification for the changes.

Go With A Zone Plan

Just as your home is broken down into living areas with common needs, the maintenance facility should be similarly designed. Jerry Cheesman, a former instructor at Lake City Community College in Lake City, FL promoted the *continued on page 32*

Maintenance Shops

continued from page 31

zonal idea to his students. The concept involves designating certain areas for accomplishing specific functions.

To design a zonal-concept maintenance facility, you must first list the tasks you want to accomplish in your maintenance facility. These tasks include daily equipment maintenance, employee breaks, employee counseling, chemical mixing, parts storage, and office administration. Some operations will have chores that others don't, such as golf cart maintenance.

Most tasks will fall into 11 different zones. The following is a discussion of each zone and what it should include.

Administrative Zone. This includes office space for you and your staff. The size and function of your staff will dictate who needs private offices and who can share. In general, you want these offices to be insulated for both sound and temperature. It's hard to prepare a budget when you are listening to a reel grinder.

Also, many of you work with computers, and they need a steady source of

You should have at least one room where you can have confidential employee conferences.

electricity and a temperature-controlled environment. If you have a computer-controlled centralized irrigation system, then you want the computer located in a safe place where it won't be knocked down or unplugged.

You should have at least one room with a door that closes so you can have confidential employee conferences.

The employee break room is probably best located adjacent to the administrative offices. Employees are out in the weather for most of their work day. They need a chance to come inside for breaks. What you include in the break room varies from site to site. Microwave ovens, refrigerators, stoves, ice machines, sinks, soft drink and snack machines, and furniture are some options. You can also include a bulletin board for posting job opportunities, employee information, and general flyers. The goal is to give employees a chance to relax and revive.

Locker facilities for both men and women can be included. Also, some sites provide lodging for temporary employees.

Equipment Repair Area. This is the mechanic's territory. The mechanic needs an area where he can expect other employees not to bother his things or his work. The area should be large enough to accommodate the largest piece of equipment. Take care to have the adequate lighting, ventilation, and electrical power. Locate storage cabinets, work benches, and tool storage close to this area so the mechanic won't have to go far to get tools.

Parts Inventory. You can save yourself many hours of downtime by keeping parts available in your parts inventory. Locate the parts storage near the equipment repair area. The key to good inventory is knowing what you have and where it is located. At a minimum, stock parts you need frequently or parts that would cause you significant downtime during crucial periods.

SPORTS TURF COATINGS	Expand Your
You have seen Mautz 8-30 for many years on Super Bowls, Pro Bowls, numerous NFL stadiums and univer- sities. Now available world-wide from MISSOURI PAINT SUPPLY.	JOIN JOIN PGMS
ATHLETIC FIELD MARKING PAINT 130 8-30 WILL NOT HARM GRASS! BRIGHTEST WHITES AND	BY LEARNING ABOUT THE PROFESSIONAL GROUNDS MANAGEMENT SOCIETY, YOU'LL BE MADE AWARE OF THE MANY BENEFITS IT HAS TO OFFER. WATCH YOUR CAREER EXPANDJOIN PGMS TODAY! • ANNUAL CONFERENCE & TRADE • NEWSLETTER - A newsletter is
SHARPEST MATCHES TO TEAM COLORS. * National, International Sales. * Complete Line of Natural and Artificial Turf Paints. * Custom Stencils.	 ANNUAL CONFERENCE & TRADE SHOW — This yearly forum brings together grounds managers, top speakers and suppliers for the sharing of knowledge and ideas. DISCOUNTS — Members receive dis- counts on Hertz, Avis and Alamo Rental Cars as well as discounts on a complete line of horticultural publications. SURVEY INFORMATION — The Society conducts research on operational practices. These surveys are made avail-
 * Spray Equipment & Accessories. * Warren's Bench Tarps and Field Covers. * Member of STMA. Contact Larry Davis 	 WORKSHOPS — Workshop training is available all over the country and offers management skills covering all aspects of grounds management. CERTIFICATION — You can become a Certified Grounds Manager by receiving a voluntary peer review of acceptable competence. WORKSHOPS — Workshop training is a voluntary peer review of acceptable Grounds Maintenance Management
MISSOURI PAINT SUPPLY	AWARDS — Members are recognized for outstanding achievements in grounds management in the Annual Grounds Maintenance Awards Contest. Guidelines — Now available to assist you in management Forms & Descriptions Guide — To help you with your routine daily tasks!
Helping You Make Your Mark in the '90s! 5818 Troost, Kansas City, Missouri 64110	Clip and Mail to: PROFESSIONAL GROUNDS MANAGEMENT SOCIETY 10402 Ridgland Road, Suite 4, Cockeysville, MD 21030 3 I WANT TO EXPAND MY HORIZON! Please send more information about PGMS.
(816) 333-1272 * Call Us Toll Free (800) 426-0774 32 Golf & sportsTURF Circle 109 on Postage Free Card	Name City and State Company Zip Code Street Area Code/ Phone #

Bins or shelves are often the easiest way to organize the parts. Devise a system that works and write it down so everyone who needs to know is aware of the system. You don't want your mechanic to be the only person who understands the system. If he leaves, you'll spend hours or even days sorting out parts.

Keep a record of parts that the mechanic uses. This record will help you reorder and track equipment problems.

Daily Maintenance Area. There should be a designated place for equipment operators to conduct daily maintenance checks on equipment. This area should not interfere with the mechanic's work. However, employees need access to oil, grease, fuel, and necessary tools.

Make provisions for proper disposal of wastes. When employees change the oil, they should dump the old oil into a designated 55-gallon drum. Have a funnel nearby so employees can avoid spills. Put someone in charge of calling a designated recycling facility to collect the oil when the drum is full.

Fuel should be stored according to all applicable regulations. Contact your

local EPA offices for information. Prohibit smoking around fuel.

Equipment Washing Area. This area should be a concrete pad of sufficient size for the largest piece of equipment you plan to wash. It needs to drain into an appropriate container if you plan to wash off equipment exposed to hazardous materials. Your local EPA office

Organize the storage area so daily-use equipment is easily accessible.

can tell you which standards your operation must comply with for pesticide rinsate.

Locate the area adjacent to water and electrical outlets. You can put steam cleaners and air compressors nearby. Be sure drainage from the area is carefully controlled. Place a covered container next to the site for employees to dispose of contaminated cleaning rags. Have the same recycling company that handles the oil handle these items.

Equipment Storage Space. Your equipment will last longer if you protect it from the elements. Sun, moisture, and frost can take years off equipment life, especially in severe climates. Organize the storage area so daily-use equipment is easily accessible.

Doors should be wide and tall enough so that equipment can be moved in and out efficiently. They should be equipped with locks for security reasons. Take expansion into account when designing and building the storage facility.

Chemical Storage and Mixing Area. This part of the maintenance building is likely to change the most in the next decade. B.J. Cannon, instructor at Lake City Community College, Lake City, FL, says he encourages his students to design maintenance facilities with preventative measures in mind.

One facility designed at the college has the chemical mixing and storage area protected by a six-foot-high chain link fence topped with barbed wire. Adjacent to the *continued on page 34*



HYDROTHERAPY FOR GRASS!

To keep your grass healthy and happy, count on Commercial Pump Service to solve any water problem. Whether it's a new, high-tech pumping system, a retrofit on existing equipment or on-the-spot repairs for any system, Commercial Pump has the experience, the parts and the people you'll learn to love.

After all, no one knows the water business better. Call (800) 426-0370 and let's talk about it. The worst you can get is a very pleasant conversation.



Commercial Pump Service Incorporated

401 Broadway, Swanton OH 43558 Serving the Americas and the Caribbean Circle 111 on Postage Free Card

Maintenance Shops

continued from page 33

entry area, there is a private room with a washer, dryer, and shower. Any employee who has come in contact with hazardous materials can remove his clothes and place them into the washing machine. After taking a shower and dressing with clean clothes, he can exit the room from a second door.

You can add this type of decontamination facility to almost any maintenance building. By following proper procedures, employees exposed to pesticides can clean up efficiently and keep contamination to a limited area.

The chemical storage area needs to be separate from other portions of the maintenance facility. The area must have locked doors to restrict entrance. Shelving is important for keeping small containers of chemicals separated and orderly. Larger containers should be stored on concrete floors.



Irrigation parts should be stored separate from the equipment parts inventory.

In the mixing area, all safety devices and tools necessary for measuring and weighing materials should be organized and easily available. Provide a solid, sturdy table for mixing operations.

Employees should always wear protective apparel when working with chemicals. A shower and eye wash should



REENSTATE INTERNATIONAL, INC. P.O. Box 21663 Fort Lauderdale, FL 33335 1-800-654-8492 FAX 305-524-6431 be in the room in the event of accidents or spills. Absorbent pillows should be quickly accessible. Check with your local EPA office for the latest regulations for chemical mixing facilities.

Fertilizer Storage. Provide a raised area away from liquids where you can stack fertilizer bags. Allow adequate space for traffic and equipment to reduce the chance of bags punctures. The area should be accessible to forklifts for palletted products.

Seed Storage. Seed should be kept cool, dry, and away from chemicals. Store bags on shelves or wood pallets. Allow room for loading and unloading. Provide space for pregerminating seed in drums or containers.

Irrigation Inventory. This section should be separate from the equipment parts inventory. Shelves with bins and compartments for frequently needed parts are advised. Store repair manuals neatly on bookshelves for quick access. There should be a work area and a large, solid table next to electrical outlets. Keep all testing equipment and repair tools in this area. Provide access and room for the utility vehicle used by the irrigation specialist.

The key to a successful storage facility is planning it according to your needs and keeping it organized. Make all employees responsible for putting away and maintaining their equipment and tools. Schedule time for clean up and organizing.

As your needs change, you can alter the maintenance facility. It is important to stay in contact with regulatory authorities so you can efficiently comply with regulations.

Proper maintenance shop planning, design, and organization now can save you countless headaches down the road.

Hydroseeding



We do hydromulching, hydrosprigging, erosion control, dust abatement, and revegetation. Our seven radio dispatched hydroseeding rigs range in capacity from 800 to 3000 gallons. Our 3000 and 2000 gallon Bowie Hydro-mulchers are equipped with high pressure moyno pumps that generate 150 psi for pumping hybrid bermuda sprigs up to 1500 feet away.

Sanders Hydroseeding 1306 E. Pomona St., Santa Ana, CA 92705 (714)973-8873 Circle 114 on Postage Free Card

Soil Treatment



Pene-Turf soil treatment improves the soil environment for root growth. Pene-Turf makes thatch more permeable, and aids chemical incorporation, thus enhancing plant nutrient uptake. It leaves soil moist and crumbly, is non-toxic, biodegradeable, and environmentally friendly.

Four Star Services, Inc. 2275 North State Road One, P.O. Box 463 Bluffton, IN 46714, (800) 348-2608 , (219) 824-5384

Circle 115 on Postage Free Card

Chipper/Mulcher



The dual purpose, commercial duty 250 Chip N Mulch is the first chipper/mulcher designed for commercial use. Heavy gauge steel construction, suspended trailer, large 1 1/2" shaft and four hole cast flange bearings are just a few of the design features that

make the 250 a top performer. Save money on dumping fees and reduce composting time. AmeriQuip, 1480 Arrow Highway, La Verne, Ca 91750 (714)392-2033 FAX (714) 392-4651 Circle 116 on Postage Free Card

Utility Vehicle



Powered by a fuel-efficient single cylinder, 4stroke 286cc overhead valve engine, the Mule handles a 660 lb. payload and a 900 lb. trailer. Easy operation is provided by step-thru seating, automatic transmission and automatic style steering and brakes. A dualmode differential offers extra traction and turf saving independent rotation in "unlocked" position.

Kawasaki Motors Corp., U.S.A. 9950 Jeronimo Rd., Irvine, CA 92718-2016 (714) 770-0400. Circle 117 on Postage Free Card

Sprayers



SDI celebrates its 10th Anniversary with the most complete line of quality turf sprayers, featuring custom molded fiberglass tanks, exclusive "greaseless" mechanical agitation and many pump, engine and tank sizes. Shown is model 200D14-5K mounted on dual turf trailer with 20 ft. drip-free, equal flow boom, walking boom, hose reel and spray hose and gun.

> Spraying Devices, Inc. P.O. Box 3107, Visalia, CA 93278. (209)734-5555. Circle 118 on Postage Free Card

Marking Machine



The Jaydee Model 5000 is a fully featured, self-propelled, professional line marking machine. The engine powers a piston pump, providing mechanical agitation, and powers both rear wheels - it tracks a straight line under its own power. The constant 2-mph speed results in uniform line width & brightness as well as predictable marking material consumption.

Jaydee Equipment Company 202 East Joliet Highway, Box 278, New Lenox, II 60451-0278. (815)485-6146 Circle 119 on Postage Free Card

Greens Materials



The source for U.S.G.A. specified greens construction materials. #12 choker sand, multiple root zone blends, and custom aerification sands. Materials tested and approved by K.W. Brown & Associates, Tifton Physical Soil Laboratory, International Sports Turf Research Center.

P.W. Gillibrand Company, 5131 Tapo Canyon Road, P.O. Box 3476 Simi Valley, CA 93093. (805)526-2195 Circle 120 on Postage Free Card

Pre-emergence Herbicide



For controlling grassy weeds and restoring potash levels, there's no more economical. effective and timesaving combination than Country Club 7-3-22 with Team* preemergence herbicide. Homogeneous granules ensure balanced distribution of nutrients and


herbicides. And Team eliminates everything from crabgrass to goosegrass. For more information contact: Lebanon Turf Products P.O. Box 180, Lebanon, PA 17042. (800) 233-0628 Circle 121 on Postage Free Card

Utility Vehicles



Rock solid value. Utility vehicles are our business. Haul Master, Inc. is dedicated to providing its customers with a reliable, durable vehicle at a Rock Solid Value....* Simple by design, yet technologically advanced *15 year history of low maintenance *More standard features than the competition. Our Name Says It All.

Haul Master, Inc. 1501 First Avenue, Mendota, Il 61342 (800) 848-4285 Circle 122 on Postage Free Card



The Carlson Industries TR12 Trencher Designed for jobs requiring a 6, 8, or 12 inch trench in tight situations. Its sturdy, compact design promotes ease of use and maintenance, provides savings on price and maintenance, and provides for lasting durability, even in the toughest soil conditions.

> Carlson Industries P.O. Box 917, Highland, CA 92346 (714) 888-4882 Circle 123 on Postage Free Card

Sports Surface Supplies



BEAM CLAY® - Used by over 60 Pro Baseball teams! Your one-stop source for America's finest sports surfaces and supplies including Beam Clay®, Diamond Dry®, Terra-Green®, Partac®, and much more. With distribution centers in the East, West, South and Midwest! For our 1992 information package, contact:

Partac Peat Corporation (Beam Clay®), Kelsey Park Great Meadows, NJ 07838, (800) 247-BEAM

Circle 124 on Postage Free Card

Striping Machine



The Head Linesman Striping Machine features a high performance, 1 gpm positive displacement pump powered by a 5 h.p. gasoline engine. The Head Linesman sprays 2- to 5-inch wide, sharp edged lines. Fitted with additional standard equipment, it sprays dual lines, a single extrawide line, large playing areas, stenciling, lettering, maintenence painting, and artistic designs.

Binks Manufacturing Company 9201 W. Belmont Avenue, Franklin Park, IL 60131, (708) 671-3000 Circle 125 on Postage Free Card

Roller Base



WEATHER-TEC introduces the new ATR-30, all terrain roller base.

- * All metal construction *Two independent 14" rollers
- * Articulates at pivot points *Helps level sprinklers
- * Conforms to peaks and valleys

*Ends crawling and tipping *1" hose and sprinkler inlets

*Call us for more information Weather-Tec Corporation 5645 East Clinton Ave., Fresno, CA 93727 (209) 291-5555. FAX (209) 294-8802

Circle 126 on Postage Free Card

Field Paint

Mautz 8-30, concentrated field marking paint, was designed for use on all types of athletic fields using natural turf. 8-30 is safe to use, will not harm grass, is harmless to the eyes and skin and it permits photosynthesis to take place through the paint film. "Super paint of the Super Bowls."

Missouri Paint Supply 5818 Troost, Kansas City, MO 64110 (800) 426-0774 Circle 127 on Postage Free Card

Irrigation Products



Value, Choice, Quality, Satisfaction. Words synonomous with Rain Bird products. Our complete product family offers everything you need from high quality rotors and dependable field satellites to the powerful MAXI V central control system. For additional information and a free brochure, contact:

Rain Bird Sales, Inc. (Golf Division)145 N. Grand Ave., Glendora, CA 91740, or call (818) 963-9311 and ask for golf marketing Circle 128 on Postage Free Card

Economical Brush Chipper



A self-feeding brush chipper, capable of handling material up to 12" in diameter, is now available from Vermeer Mfg. Co. The model 1220 is equipped with a hydrostatically controlled vertical feed roller system. Variable speed control of the rollers ranges from 0-120 fpm. An optional sensor controls the feed to the 37" cutting disc, which has 2 or 4 steel-hardened knives. The 4,480 lb. unit is available with Ford gas engine or Perkins Diesel.

Vermeer Manufacturing Company Pella, IA 50219, (515) 623-3141, (800) 829-0051 Circle 129 on Postage Free Card