

Like all these managers, Clay Wood of the Oakland Athletics uses a 1200 to groom his field for not only spring training, but a yearround schedule of other games as well.



Sal Leyvas depends on a John Deere 1200 to take care of Tempe Diablo Stadium, home of the California Angels during spring semester.

"The John Deere 1200 allows us to do a better job," says Harold Gentry of the City of Mesa's Hohokam Field, spring training site of the Chicago Cubs.



Kris Kircher of the City of Chandler uses two 1200s to take care of the fields used by the Milwaukee Brewers for their minor league spring training.

1200

NOAC





#### By Mike Augsdorfer

sportsTURF

Regardless of the specific type of grass used on a field, athletic turf is a very sensitive surface. The proper field cover can be an effective tool in a comprehensive field-maintenance program and can actually help to increase the number of days the field is available for use.

Field covers have come a long way from the old canvas tarp that was standardissue at professional-level ballparks and stadiums. Canvas is no longer a practical material for field covers since it is heavy to begin with and becomes even heavier as it absorbs water. Manufacturers have switched to lightweight materials, such as vinyl and polyethylene.

The introduction of vinyl and polyethylene field covers enabled colleges, high schools and even smaller operations such as municipal fields used for Little League or softball to acquire field covers. The lightweight covers reduced the need for manpower, since vinyl or polyethylene covers could be manipulated by just a few people, whereas the bulky Lightweight field covers are a valuable tool for turf managers in keeping fields green and playable. Photo courtesy: Covermaster/Van Kampen.

canvas covers required a virtual army of groundskeepers to implement.

#### Vinyl vs. Polyethylene

While vinyl and polyethylene are both effective as lightweight field covers, the two materials fill different needs. "Polyethylene and vinyl are two distinctly different products," points out Joan Koza, executive vice president of Chicago-based M. Putterman Co., one of the largest manufacturers of lightweight field covers. Vinyl, Koza notes, cannot be calibrated much thinner than ten ounces and still contain enough fiber base for the strength needed as a field cover. "Polyethylene," says Koza, "can be as thin as one mil; however, there are as many types of polyethylene as there are flowers."

The primary advantage of vinyl in a field cover, according to Koza, is that it is tougher and thicker than polyethylene and relatively easy to patch; polyethylene, on the other hand, cannot really be patched. Koza reports that polyethylene is typically half to one-third the cost of vinyl; however, polyethylene does not accept team logos or other decorations very well. While those with budget concerns can get into the field-cover game with an affordable polyethylene field cover, larger operations such as professional sports teams and major universities can afford to purchase the more durable vinyl covers. "Most NFL and majorleague facilities choose vinyl for logos and durability," says Koza. "Polys just don't last as long."

Lightweight field covers are useful far beyond simply protecting turf from the rain. Many fields that are not used for sports during the cold winter months in the northern part of the country are covered during the winter to protect sod from ice, snow and freezing temperatures. Some covers act like insulating blankets and can actually keep turf up to ten degrees warmer than uncovered areas. These covers, which are made of polyester geotextile or woven polyethylene, are also used to cover golf greens and tees to improve germination and speed spring green-up.

Somewhat surprisingly, most lightweight field covers can stand up to the stress of a hard winter quite well. "From a temperature standpoint, it's not a problem," says Koza. She recommends a cover at least ten ounces per square yard for coldweather football fields where snow and ice may be a problem. "Poly covers are not the most appropriate choice for coldweather football fields," she relates. "It really comes down to manpower and economics, as well as application."

Bob Curry of Covermaster Inc., based in Ontario, Canada, reports that improvements in lightweight field covers have expanded their usefulness. "New technical developments in lightweight woven polyethylene have achieved higher tear strengths and color combinations that reduce heat buildup under the cover," he reports. "These new developments mean lightweight woven polyethylene covers are half the weight, half the price, and require half the crew to handle. Only five people are needed to handle a 170square-foot cover."

Curry says that the lightweight polyethylene covers are durable enough to withstand ice and snow, primarily because the ice will not stick to the cover surface. "Snow and ice can be removed from the cover using a tractor equipped with a rubber-tipped plow blade."

Mark Razum, head groundskeeper at Coors Field in Denver, the new home of the Colorado Rockies, used an Evergreen cover by Covermaster on new turf to promote rooting. "The reason we covered those areas was because the rooting was not taking as well as we had wanted," he explains. "We noticed a significant difference as far as the greening of the turf between areas that were covered and uncovered. The covered areas had a nice green color to them."

Razum admits that he must be careful of burning the turf at the high altitude, but he adds that the lightweight (woven polyethelene) cover holds up well in Denver's harsh winter climate. "We've had eight inches of snow and seven-degree temperatures with no problems," he relates.

Frank Caparelli, head groundskeeper for the Chicago Cubs, cautions that lightweight vinyl and polyethelene covers may be difficult to manage in heavy winds. On the other hand, he adds, a cover that is too heavy requires more manpower. "What we use for baseball is a ten-ounce vinyl because it's easier to handle," he explains. "If you get a lot of water from a good, heavy downpour, you'll need a lot of men. We try to have at least 15 men; if we're short-handed, we may have 12."

Vince Patterozzi, head groundskeeper for the Cleveland Browns, maintains five fields, including Cleveland Municipal Stadium and several practice facilities in nearby Berea, OH. Patterozzi says that field covers are among the most important tools he has for maintaining the quality of the turf at the stadium and at the practice facilities. NFL regulations dictate many procedures for the field at Municipal Stadium. "We are obligated by the NFL that fields must be covered if inclement weather is predicted within 24 hours of game time," he reports. "We try to keep the field as dry as possible."

Patterozzi and his crew also keep the practice fields covered. While the stadium turf is covered with vinyl, Patterozzi uses lightweight, woven polyethylene

for practice-field covers, so the crew can get them on and off quickly.

Patterozzi uses growth blankets to promote turf growth after overseeding in March, but he cautions turf managers to use extreme care with field covers in the summer because covered turf can burn easily. "You can take it [the turf] right down," he explains.

One innovation Patterozzi would most like to see is a device that would elevate a field cover enough to allow air circulation. "When rain or snow or ice forms on the cover, it just suffocates the turf," says Patterozzi.

Keeping a field in prime playing condition is no easy task. Lightweight field covers are a valuable tool for turf managers in keeping fields green and playable. Innovations and improvements in lightweight field coverings help turf managers reduce costs in terms of manpower and materials while still providing optimum weather protection for their fields and even reducing spring green-up time. While canvas covers may be nearly extinct, lightweight field covers remain an integral part of overall field maintenance.









Soil aeration (above) not only reduces compaction but also helps turf stand up to stress, including heavy use. Hollow tines or spoons remove a "core" of soil (below) that is deposited on the soil surface and becomes topdressing over the turf. Shallow aeration equipment (left) may use solid spikes that punch holes in the soil, creating openings without removing soil.

# Aeration Strategies to Reduce Compaction



By Dr. Gil Landry

ompaction is one of turf's hidden enemies. As soil particles are pushed closer together, pore space diminishes, increasing soil density. Air, water and nutrient movement are decreased by the lack of pore space. Percolation and infiltration are reduced. Turf roots struggle in the restrictive soil environment.

Compaction reduces turf quality and athletic-field playing conditions. Top growth slows, resulting in less cushioning for players. Weeds like goosegrass and annual bluegrass become a problem. The compacted soil itself forms a harder surface due to the increased density of soil particles.

Soil aeration is an important tool in a turf-maintenance program. It not only reduces compaction, but also helps turf stand up to stress, including heavy use. Aeration opens channels in the soil through which air, water and nutrients can move more freely. Percolation and infiltration are improved. Deep rooting is encouraged. Aeration also "softens" hard soil by increasing pore space, enabling the soil to "give" in response to impact, an excellent benefit for sports turf fields. The most effective aeration strategies meet the needs of the turf without disrupting its aesthetic appeal or the fielduse requirements.

#### **Assess Current Conditions**

Unlike soil pH or fertility, soil compaction is not easy to quantify. Inspect turf for such signs of stress as thinning, lack of vigor or fading color. Note sections that react most quickly to high temperatures or lack of moisture. Check spots where turf shows weed invasion, insect or disease damage or less response to fertilization.

Look for factors other than compaction that can contribute to turf stress. Such situations might include high spots that receive inadequate moisture and dry out quickly, low spots where drainage is poor and excess moisture puddles, areas of heavy thatch buildup, or sections with buried rocks or debris.

Where no other contributing factors are discovered, compare stressed turf with areas of thriving turf. Are the grass varieties and soil types the same? Do both areas receive the same maintenance, including fertilization and irrigation?

Compare turf-use patterns. Sections subjected to the most activity will be the most susceptible to compaction — for example, between the hash marks on a football field or the goal mouths of a soccer field.

## **Degree and Depth of Compaction**

Use a soil probe, shovel or pentameter to check the degree and depth of compaction. Soil should be moist during this process. The greater the degree of compaction at a specific point, the more difficult it will be to sink the probe into the soil.

Foot traffic and sports activity normally will cause the greatest compaction in the top two or three inches of soil. Construction equipment or frequent traffic by maintenance equipment can cause deeper compaction. Core aeration, repeated to the same depth, may cause a layer of compaction at the penetration depth.

Examine the core of soil removed for changes in texture or color. Clay soils and other fine-textured silt soils are more easily compacted than those with a higher sand content.

Different soil textures and/or colors within the soil-probe sample could signal a layering condition. When layering occurs, soil moisture movement, air movement and rooting may be disrupted. Aeration and topdressing can help alleviate this condition.

Check turf root growth. Shallow roots or poor root development can indicate the depth of compaction or a change in soil texture.

Cultivation may not be the answer. Improved drainage or soil modification may be necessary, or perhaps better traffic and irrigation control are sufficient. In most cases, a combination of cultivation and these practices will be needed.

#### **Explore Aeration Options**

Shallow aeration is provided by equipment that reaches into the top three or four inches of soil. Deep aeration is provided by equipment that reaches deeper than four inches.

Shallow aeration equipment may use solid spikes or hollow tines or spoons. Solid spikes punch holes in the soil, creating openings without removing soil. Hollow tines or spoons remove a "core" of soil that is deposited on the soil surface and then becomes topdressing over the turf. Deep aeration equipment may move the soil with a vibrating or lifting action, or it may spike or slice into the soil with little movement.

Any tool used to penetrate the soil will cause some compaction. The question should be whether it relieves more compaction than it causes. Hollow tines or spoons that remove soil cause less compaction around and below the tine than do solid tines. Also, cultivating with different types of equipment and to different depths should minimize compaction from cultivation. Normal coring will not increase weed problems after a preemergence herbicide is applied.

Another consideration is the depth to which the aeration method is effective.

Obviously, even in shallow aeration, the procedure must work deeply enough in the soil to reach the level of compaction. With deep compaction a hardpan layer can form, stopping the movement of air, water and nutrients below that depth. Though temporary relief can be achieved with frequent, shallow aeration, eventually that hardpan barrier must be penetrated for proper turf growth. With subsurface aeration, determine whether loosening or vibration of the soil will be needed, rather than penetration alone, to break the compaction barrier effectively.

The greater the degree of change in existing conditions, the greater and longer lasting the effect. Core aeration is more effective than spike aeration and has longer-lasting benefits; deep shatter aeration has a greater and longer-lasting effect than deep slicing or spiking, which causes little soil movement.

continued on page 26



# Now the monster goes even deeper - 24 inches. Nothing else even comes close.

Even Steven Spielberg couldn't dream up a more piercing scenario for knifing through turf...introducing the Model 405.250 Verti-Drain.<sup>®</sup> No other machine goes this deep and heaves the turf forward cracking the sidewalls of the core hole making it easier for air and water to penetrate. So if you have to go deep, look to Verti-Drain to get you there.



# FOR PRODUCT INFO FAXED TO YOU NOW! DIAL: 1(800) 817-1889

# **Soil Aeration**

continued from page 25

Consider the extent of the problem. How much effect is compaction having on turf growth and recovery?

If turf on a field is severely thinned or has worn away completely, players may be exposed to potential injury. In that case immediate action, such as resodding, may be required. If damage is minor, less disruptive practices can be used.

### **Match Method to Turf Conditions**

No one cultivation option is right for all conditions or time periods. Matching the method to turf growth cycles, weather conditions and scheduled use will mean using different types of cultivation at different times during the year. Ideally, an annual deep cultivation should be combined with a shallow aeration program to achieve the best results.

Turf use and aesthetics must be considered. The more disruptive a procedure is, the longer the turf will take to recover. The heavy schedule of sports-field use dictates that procedures that cause extensive surface damage will be used less frequently than procedures that cause minimal surface damage.

The length of the positive effects resulting from each alternative procedure must be weighed. More damage can be tolerated when the benefits of treatment are long lasting.

Procedures that bring soil to the surface must be scheduled when they will not disrupt play. Turf takes time to recover from the disruption caused by core aeration. Even when the cores are dragged back into the soil and any tufts of thatch or grass are removed, the turf will require a recovery period. Grass roots need time to regenerate and spread deeper into the soil before top growth will reflect the benefits of the process.

Shallow spiking will make less of an immediate impact on turf aesthetics and can be used when some relief of compaction is essential during heavy-use periods. Spiking also is less disruptive to turf growth and can be used more frequently than core aeration.

## **Increasing Aeration Effectiveness**

Soil moisture levels are critical dur-

ing cultivation. Soil that is too dry is hard to penetrate, and procedures are less effective. Soil that is too dry also puts more stress on cultivation equipment. If soil is too wet, there will be little movement in response to cultivation.

Aeration methods that loosen the soil should be timed when moisture levels are slightly below field capacity. such as 24 hours after rainfall or irrigation. Aeration methods that cause little loosening, such as spoon-type tines, should be timed when moisture levels are near field capacity.

Hot, dry weather and strong winds can cause the turf-bordering aeration holes to dry out. Avoid aeration during those periods or arrange irrigation to compensate for moisture loss.

In most cases once holes are made, the longer they remain open to the surface, the longer the effect lasts. Once a hole is sealed, even if only at the surface, the benefits of air and water movement are significantly, if not totally, eliminated. Topdressing with a porous material keeps the holes open. If topdressing is not practical, more frequent cultivation will





#### U.S. Pat. No. 4,476,938 FILL AERATOR HOLES COMPLETELY, THE FIRST TIME

- 0-8 inches deep using 24 Carbide Tip Bits
- Hoppers will hold total of 1.87 sq. yd. per fill.

Floyd McKay Aerofier Co. P.O. Box 191 • Dunn, NC 28335

26 sportsTURF

Circle 112 on Postage Free Card

# FOR PRODUCT INFO FAXED TO YOU NOW! DIAL: 1(800) 817-1889

be needed to overcome surface sealing.

Timing shallow aeration to periods of active turf growth will enable the turf to recover more quickly. Aeration in conjunction with overseeding and fertilization will increase their effectiveness.

Since significant root growth occurs at lower temperatures than leaf growth, fields that are heavily used going into winter probably should be core-aerated after use, unless winter desiccation is a common problem. Core aeration will improve the water/air relationships during this period and result in healthier turf the following year.

To increase the effectiveness of aeration throughout the soil profile, use a deep-aeration procedure within two weeks following shallow core aeration.

## **Consider Budget Constraints**

With ever-tightening budgets, the ideal aeration program may not be practical. When lack of equipment, personnel or funding limit aeration options, concentrate resources where they will provide the greatest benefits. For example, schedule a complete aeration program

for the football field only or for just the area between the hash marks with less frequent aeration of the entire field and surrounding grounds. Schedule regular aeration of park-system playground areas and sports fields, and use aeration as required to avoid turf decline in lesser-used areas.

Develop a reciprocal relationship with other turf professionals, arranging joint purchases of equipment or swapping existing equipment use. Though golf courses, school systems, park systems, municipalities and large commercial properties will have similar needs, different timing of equipment use may make such arrangements workable.

As with all sports turf maintenance practices, constant monitoring is necessary to evaluate the success of the program throughout the year and from year to year. Because quantifying aeration results is difficult, detailed record-keeping will be needed. Record the type and timing of aeration procedures. Since wet soils compact more quickly than dry ones, note irrigation and rainfall in relation to field use. Also keep records of daily tem-

perature ranges, the frequency of games and practices on each field and the times they take place, fertilization schedules, overseeding and topdressing procedures, and any other pertinent activities.

Note the effect of procedures on turf health, including any reductions in irrigation, fertilization, weed, insect and disease control. Budgeting entities are more willing to consider funding for equipment and procedures when they can see documented results.

# **Be Flexible**

Develop a workable cultivation program that meets field needs and your budget, but remember that even the best-prepared plans must be modified at times. Know what options are available and be flexible enough to adjust the plan to meet changing conditions and turf needs.

As extension turfgrass specialist with the University of Georgia, Dr. Gil Landry provides leadership in the development of statewide educational programs in turfgrass management. He is immediate past president of the STMA.





#### Spread from sand to compost, wet or dry.



Patented chevron elt design



loading



Turfco's Free Sport's Turf Manual on the benefits of top dressing.

surface appears. Turfco spreaders assist you leveling out the depressions, restoring the crown, and increasing drainage. They help make a uniform playing field that can reduce injuries. You can top dress one sports field in under 2 hours with just one person to handle both loading and spreading. Request

Turfco Manufacturing Inc., 1655 101st Avenue Northeast Minneapolis, MN 55449-4420, (612) 785-1000 Fax (612) 785-0556





#### By Steve and Suz Trusty

raffic and sports turf go together. The turf provides athletes with a safe, reliable surface on which to play, but the nature of that traffic often makes sports turf management a challenge. Big, burly football players dig in to hold that line. Fleet-footed soccer players attack the goal mouth again and again. Baseball fielders cut in with their cleats as they tear across the outfield after a high fly ball. Sleek race horses slice through the turf with pounding hooves as they head for the stretch.

All these elements add excitement to sports but put turf to the test. Turf stress is caused not so much by the pure power and weight that athletes put on the field but by the fact that they so often concentrate that power and weight in the same spots.

Sports fields are subjected to other traf-

fic, too, such as the foot traffic of spectators crowding onto the field to celebrate a win and the vehicular traffic involved in moving materials and equipment. Game fields may be used for concerts and other special events. Practice fields frequently double as parking lots.

Sports turf managers are constantly exploring alternatives to help turf handle this stress. Among the options currently being investigated are rootzone structures — elements blended within the soil profile to add support, decrease compaction and form a more compatible environment for grass roots, including improved aeration and water percolation. Two products currently being tested in the U.S. are TurfGrids and Netlon Advanced Turf System.

Information supplied by the company describes TurfGrids as "a patented, nontoxic polypropylene fiber designed to stabilize sand-based sports turf. Turf Buried structures are elements imbedded within the soil profile to add support, decrease compaction and form a more compatible environment for grass roots, including improved aeration and water percolation.

Grids increase the load bearing and shear strength of the playing surface. The results are sure footing, less divots and fewer injuries."

Netlon Advanced Turf uses small (two-inch by four-inch), springy, interlocking polypropylene mesh elements randomly oriented and blended uniformly with a selected high-sand-content rootzone medium. The company says this design "increases impact absorption, reduces surface damage and accelerates recovery, reduces soil compaction,