


23rd Annual  
International Irrigation Show and Conference  
October 24-26, 2002

# Navigating the Big Easy



THE IRRIGATION  
ASSOCIATION

Let the good times roll in New Orleans where you'll find enthusiasm for food, dancing, music, parades and life itself. And while we're talking about excitement, add the irrigation industry's mega-market show and conference, plus our world class education and certification programs.

Come to the Big Easy for the best combination of fun and professional opportunities anywhere!

6540 Arlington Boulevard  
Falls Church, VA 22042  
703-536-7080

Yes, send me more information about the:

International Irrigation Show & Conference **October 24 - 26, 2002**

IA's premier education and certification programs **October 21 - 27, 2002**

For more information please fax this form to 703-536-7019 or visit

[www.irrigation.org](http://www.irrigation.org)

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Email \_\_\_\_\_

## THATCH-MASTER

48" & 60"  
FINE TURF VERTI-CUT



1. Commercial quality fine turf verti-cut
2. PTO powered - 20 to 30 H.P.
3. Thin (.060) blades do NOT leave grooves
4. Extremely low maintenance
5. Fast

### Turf Specialties, Inc.

3528 Waterfield Parkway  
Lakeland, FL 33803  
(800) 201-1031

Circle 130 on card or [www.OneRS.net/209sp-130](http://www.OneRS.net/209sp-130)

## BURNSIDE SERVICES, INC.

MAINTAIN THE BEAUTY  
OF YOUR COURSE OR PLAYING FIELD



- Athletic Field and Golf Course Renovation and Construction
- Complete Soil Fumigation Service
- Laser Leveling

Excellence in Service and Quality

**936-825-7090**

Tommy Burnside  
Mobile: 936-760-6380

Jake Burnside  
Mobile: 979-268-8586

1110 Navasota Ridge Rd.  
Navasota, TX 77868  
[www.burnside-services.com](http://www.burnside-services.com)

Circle 131 on card or [www.OneRS.net/209sp-131](http://www.OneRS.net/209sp-131)

Finally! An infield conditioner that gives you brick red color without the brick.



With **TURFACE Pro League Red** you get the rich red color you want plus the infield conditioner you need. **TURFACE Pro League** is the only patented infield conditioner that provides superior rainout protection and delivers the ultimate playing surface.

**TURFACE**  
*Pro League Red*

Call us at 1-800-207-6457 or visit our website at [www.turf.com](http://www.turf.com)

**Color and Performance. Pro League® Red.**

Circle 132 on card or [www.OneRS.net/209sp-132](http://www.OneRS.net/209sp-132)

## Rain Insurance...

Are you covered?



## WeatherBeater®

Athletic Field Covers by  
Colorado Lining International

It's a name you've trusted since 1978. Now Colorado Lining adds **WeatherBeater®** to its family, giving you the same outstanding quality & service that earned **WeatherBeater®** its reputation. It's the insurance you need to cover any field: baseball, football, soccer.

Full Field, Mound/Home Plate Covers,  
Batting Practice, Sideline, Crown  
Covers, Turf Blankets, Windscreen

877-448-2777 888-546-4641

Circle 133 on card or [www.OneRS.net/209sp-133](http://www.OneRS.net/209sp-133)

## CHAIN LINK FENCE GUARDS



**Fence Guard™** protective covers for chain link fencing from Partac Peat Corp. are available in six colors—safety yellow, dark green, red, white, blue, and orange—as well as two grades—premium and standard. These UV-resistant, polyethylene covers protect players from injuries and provide a distinctive look to your fencing.

**Fence Guard™** comes in cartons of ten 8-ft. sections with fifty 8-in. UV-resistant ties for securing every 2 feet to fence. With a 5-year manufacturer's limited warranty.

For safety and uniform appearance, you should remove crowns from the tops of fence posts so that the entire fence top is covered; ends can be butted or overlapped, and the product is easy to cut.

**Bottom Guard™**, which serves the same safety and appearance purpose, also reduces erosion and eases weed cutting.

**PARTAC®/BEAM CLAY®**  
800-247-2326

Circle 134 on card or [www.OneRS.net/209sp-134](http://www.OneRS.net/209sp-134)

## Earth&Turf



**A** topdresser designed for sports turf managers!

## MultiSpread™ 300

- **Larger capacity!** 22 cubic ft hopper
- **More Versatility!** Choose a brush or a beater spreading system (spread pattern 36"-72")
- **Simple Design!** For low maintenance
- **Affordable!** One-person operation with easy, No-Tools spread adjustment

**Earth&Turf**  
Simple, Well-built Products

TOLL FREE 1 • 888 • 693 • 2638

Circle 135 on card or [www.OneRS.net/209sp-135](http://www.OneRS.net/209sp-135)

# MARKETPLACE

## MAINTAIN YOUR FIELD



WITH **NEW STRIPE** STRIPERS

**12 MODELS OF STRIPERS  
RIDERS • SELF PROPELLED • WALK BEHIND  
FIELD MARKING STENCILS  
MASCOTS, EMBLEMS, LETTERS & MORE  
DRY LINE MARKERS & DRAG MATS**

**CALL TOLL FREE  
1-800-624-6706**  
1700 Jasper Street  
Aurora, Colorado 80011  
**www.newstripe.com**

Circle 136 on card or [www.OneRS.net/209sp-136](http://www.OneRS.net/209sp-136)

## Jaydee Drive Liner



The Jaydee Drive Liner is a self-propelled riding line marker. The 35-gallon paint tank carries enough marking material for a complete game field, or several practice fields. The 2-gallon flush tank cleans the discharge lines for work breaks, travel, or overnight. The center or side-mark spray shields are always operator-visible. A nearly zero turning radius reduces or eliminates back and turn maneuvers.

**Jaydee Equipment Company**  
202 East Joliet Highway, Box 278  
New Lenox, IL 60451-0278  
TOLL FREE: 1-800-443-3268  
[jaydee@theramp.net](mailto:jaydee@theramp.net) • [www.jaydeeeqco.com](http://www.jaydeeeqco.com)

Circle 137 on card or [www.OneRS.net/209sp-137](http://www.OneRS.net/209sp-137)

## Stripe Like A Pro

### Pro-Stripe Athletic Field Marking Paint

- Long lasting Great Coverage.
- Easily applied by brush, roller, airless spray for fine line marking machines.
- OPTIWHITE™ used for high reflectance under artificial lighting and for low angle viewing.
- Will not harm grass, uniforms or players.
- Dilutable up to 3:1 (water/paint) for additional savings of 50% - 75%.
- Free shipping w/50 gallon purchase.



### "EZ-100" Striper®

- Quiet, clean, Environmentally friendly.
- Long life, battery operated.
- 14 gallon polyethylene tank.
- 50-60 psi Shurflo Pump®.
- Built in charger plugs directly into an outlet.



**Whitlam Paint Company**  
Division of J.C. Whitlam Manufacturing Co.  
(800) 321-8358  
Contact: Dale Forester

Visit our website at: [whitlampaint.com](http://whitlampaint.com)

Circle 138 on card or [www.OneRS.net/209sp-138](http://www.OneRS.net/209sp-138)

## Classifieds

For classified advertising rate information, contact Chris Dziubla at 630-295-9617.

### FOR SALE

## GOT PAINT?

GET IT!

**A F M**

(Athletic Field  
Markings)

by

**F P C**

[www.franklinpaint.com](http://www.franklinpaint.com)

**1-800-486-0304**

### REPRESENTATION WANTED

**Independent Reps, Distributors & Dealers  
Wanted** to represent Garick & Paygro product lines. Regional and national opportunities.

**Bulk and/or bagged recreational surfacing products.** Opportunities in certain geographical market areas for our brand name product lines: Recreational Surfaces, Kids Karpets™, and Designated Dryer™, Calcined Clays for athletic fields.

**Can represent one, multiple or all depending on areas available.**

Visit [www.garick.com](http://www.garick.com)  
Or call 1-800-2GARICK ext. 40.  
Please mention this code:  
REP/SPOTUR/092002

## Cushman® Envirojet™



The Cushman® Envirojet™ pull-behind chemical injection system applies amendments directly to the turf root zone. The patented system cleanly and safely saturates the target area to apply fertilizer, treat fungal infestations or other applications. For the name of your local Cushman® Envirojet™ dealer, or a FREE demonstration, just call 1-888-922-TURF (8873).

Cushman® is a registered trademark of Textron Golf, Turf and Specialty Products, all rights reserved.

Circle 088 on card or [www.OneRS.net/209sp-088](http://www.OneRS.net/209sp-088)

### FOR SALE 50% OFF

## Used Verti-Drain Parts

All parts in good serviceable condition.  
Commercial Turf and Tractor 800-748-7497

For reprints please  
contact  
**Jorgie Strossner at  
(847)885-3429**

# Physics and soccer field evaluation

*My web site, The Math and Physics of Soccer at [www.OceansideRevolution.com/EINSTEIN.HTM](http://www.OceansideRevolution.com/EINSTEIN.HTM) mentions the Stimpmeter's possible use in soccer. I had the intention of building my own version of the soccer field gauge before I became aware that turf researchers have already been using them to evaluate fields. Any information or data regarding the "soccer field gauge" would be most appreciated. Do you think we will see widespread use of a device like the Stimpmeter in golf?*

*Bill Streifer*

**Y**es, there are several devices that have been developed to measure ball roll on soccer fields. In my opinion the most recognized design (in the US) was developed in 1994. As the story was told to me, Dr. Jim Watson (Vice President Emeritus, The Toro Company) wanted to use some type of roll measurement to evaluate the different fields at the nine different venues in preparation for World Cup Soccer in 1994. Steve Cockerham and John Keisling at University of California-Riverside took it upon themselves to design and build a world-class device, and they did. Use of the device was first published in *SPORTSTURF* in July 1995.

In late 1997, Steve was gracious enough to share their designs with me so that I could build the "second one" for research purposes and in preparation for the Women's World Cup in 1999. The "Soccer Field Gauge" actually uses a steeper angle than the Stimpmeter (device used to measure ball roll on golf greens). The Field Gauge was designed to look at more ball action, rather than just ball roll.

At a recent conference, I noticed that an international researcher used a more traditional Stimpmeter angle (could not find reference to the exact angle in my meeting notes) to evaluate their fields for World Cup 2002. After working with our Soccer Field Gauge for a few years, I like the idea of some bounce at the end of the ramp, since a soccer ball typically has some bounce even when passed short distances between players.

The Field Gauge is useful for evaluating uniformity, elasticity, and speed of the turfgrass playing surface. One can easily measure ball roll, ball deflection, and ball hop (with a ball hop indicator or video recording). These data provide an indication of surface trueness, canopy density, and slope or crown on ball performance. Using this device in 1994 and 1999, the research groups were able to evaluate fields and make cultural practice decisions to either improve fields or to make them more similar to a chosen standard. That is pretty much the original purpose of the Stimpmeter.

## Unfriendly design

Unfortunately, the design requirements of a Soccer Field Gauge probably limit its more widespread use. First, you are talking about a large ramp (approx. 10 feet), compared to a Stimpmeter that is closer to 3 feet long. It can be made more manageable by designing the ramp so that it can be broken down into sections. A multi-section ramp requires tight tolerances at the junctions to allow the ball to roll smoothly.

In addition, to prevent ramp flex and to keep from having excess vibration as the ball rolls down the ramp, it must be made of heavy gauge material. Even when made from aluminum and hollowed-out in some areas, you have a pretty hefty ramp (about 30 pounds).



In the end you are left with a pretty heavy and cumbersome device to lug around a field and/or store in your work area. Soccer ball variability is also an issue that has to be addressed. Even with same internal pressure, each soccer ball tends to roll slightly different.

Another limitation to its acceptance is that due to the nature of the turfs that we use, it is very difficult to have a northern field play similar to a southern field on a day-to-day basis. I even see tremendous variability among fields within regions. Field managers at most facilities have so many cultural practices and use issues to deal with just to keep the fields safe with good turf cover, they don't have time to worry if they are "keeping up with the Jones" in terms of ball performance.

I would also add that the Stimpmeter is not always viewed as a positive contribution to the golf course management profession. In the last few years, the Stimpmeter has probably caused more headaches to superintendents due to the demands golfers and/or golf clubs have placed on superintendents to get their greens to roll to a certain distance. I would hate to see that develop within the sports turf profession. Sure there are applications, but outside of research and perhaps tournament set-up, I do not foresee widespread demand for such a device. **ST**

## Have Questions?

Send them to Grady Miller at the University of Florida, PO Box 110670, Gainesville, FL 32611, or email [gmler@mail.ifas.ufl.edu](mailto:gmler@mail.ifas.ufl.edu). Or, send them to Dave Minner at Iowa State University, 106 Horticulture Hall, Ames, IA 50011, or email [dminner@iastate.edu](mailto:dminner@iastate.edu).

# Send drainage worries packing!



## Effective drainage is no accident...

it requires careful planning and the right drainage system. Gone are the days when you had to be satisfied with burying a round pipe in an intrusive, rock-filled trench. Only Multi-Flow ensures complete satisfaction because it utilizes the latest drainage methods with the least amount of effort.

### **Innovative Shape**

Advanced design allows Multi-Flow to collect and transport water quickly whether you employ it "thin and tall" or "flat and wide."

### **Easy to Install**

Multi-Flow is strong and flexible, and it provides more connection options than any other system.

### **Durable and Affordable**

The Multi-Flow System consists of rugged collector and flow channels wrapped in a heavy geo-textile filter. This is a system that will last! And compared to a traditional French drain, the Multi-Flow System can be installed for about half the cost.



**MULTI-FLOW**  
drainage systems by Varicore

Contact Varicore Technologies, Inc.  
800.978.8007 or Fax 320.978.6607  
www.varicore.com or e-mail: service@varicore.com